Electronic Supplementary Material (ESI) for Journal of Materials Chemistry
This journal is © The Royal Society of Chemistry 2012

Supporting Information

Novel Solution-processable Optically Isotropic Colorless Polyimidothioethers/TiO_2 Hybrids with Tunable Refractive Index

Chia-Liang Tsai,[a] Hung-Ju Yen,[a] Wen-Chang Chen,[a,b] and Guey-Sheng Liou*[a]

[a] *Institute of Polymer Science and Engineering, National Taiwan University, 1 Roosevelt Road, 4th Section, Taipei 10617, Taiwan*

[b] *Department of Chemical Engineering, National Taiwan University, 1 Roosevelt Road, 4th Section, Taipei 10617, Taiwan*

* Corresponding author. E-mail: gsliou@ntu.edu.tw

List of Contents for Supplementary Material:

Figure S1 FTIR spectra of the studied films (a) **S-OHS** (b) **S-OHS50**……..……...*SI-2*

Figure S2 TGA thermograms of **PITEs** in N_2…….……*SI-3*

Figure S3 TGA thermograms of **S-OHS** hybrid materials in N_2……..…….*SI-4*

Figure S4 TGA thermograms of **S-OHS** hybrid materials in air….....…….....*SI-5*

Figure S5 TMA curve of **S-OHS** with a heating rate of 10 °C/min..... *SI-6*

Figure S6 TMA curve of **S-OHS50** with a heating rate of 10 °C/min…….….*SI-7*



Figure S1 FTIR spectra of the studied films (a) **S-OHS** (b) **S-OHS50.**



Figure S2 TGA thermograms of **PITEs** in N_2.



Figure S3 TGA thermograms of **S-OHS** hybrid materials in N_2.



Figure S4 TGA thermograms of **S-OHS** hybrid materials in air.



Figure S5 TMA curve of **S-OHS** with a heating rate of 10 °C/min.



Figure S6 TMA curve of **S-OHS50** with a heating rate of 10 °C/min