Supporting Information

Synthesis of Hierarchical SnO₂ Octahedra with Tailorable Size and Application in Dye-sensitized Solar Cells with Enhanced Power Conversion Efficiency

Yu-Fen Wang^a, Ke-Nan Li^a, Chao-Lun Liang^b, Yuan-Fang Hou^a, Cheng-Yong Su^a and Dai-Bin Kuang^{*a}

^aMOE Key Laboratory of Bioinorganic and Synthetic Chemistry, KLGHEI of Environment and Energy Chemistry, State Key Laboratory of Optoelectronic Materials and Technologies, School of Chemistry and Chemical Engineering, Sun Yat-sen University, Guangzhou 510275, P. R. China. Fax: +86 20 84113015; Tel: +86 20 84113015; E-mail: <u>kuangdb@mail.sysu.edu.cn</u>

^bInstrumental Analysis and Research Center, Sun Yat-sen University, Guangzhou 510275, P. R. China.





Figure S2. (a), (c) and (e) are the FE-SEM images of as-prepared $Sn_6O_4(OH)_4$ octahedra using 0.0025, 0.01 and 0.02 mol, respectively, while keeping other experimental conditions constant, (b), (d) and (f) are the corresponding calcined hierarchical SnO_2 octahedra. Insets are the corresponding high-magnification FE-SEM images.