


**Figure Captions:**

**Fig. S1.**  $^{31}\text{P}$  FT-NMR of [HF] complex in  $\text{C}_6\text{D}_6$ .


**Fig. S2** P-XRD patterns of [HF] complex, [HT(3.5)] and [HF/HT(X)].

**Fig. S3.** SEM images of [HT(3.5)] and [HF/HT(3.5)].

**Fig. S4.** TGA of [HT(3.5)], [HF] Complex and [HF/HT(3.5)].





**Fig. S1**  $^{31}\text{P}$  FT-NMR of [HF] complex in  $\text{C}_6\text{D}_6$ .




**Fig. S2** P-XRD patterns of [HF] complex, [HT(3.5)] and [HF/HT(X)] system.

# Supplementary Material (ESI) for New Journal of Chemistry  
# This journal is (c) The Royal Society of Chemistry and  
# The Centre National de la Recherche Scientifique, 2007



**Fig. S3** SEM images of [HT(3.5)] and [HF/HT(3.5)].

# Supplementary Material (ESI) for New Journal of Chemistry  
# This journal is (c) The Royal Society of Chemistry and  
# The Centre National de la Recherche Scientifique, 2007



**Fig. S4** TGA of [HT(3.5)], [HF] Complex and [HF/HT(3.5)].