Pyridine and s-Triazine as Building Blocks of Nonionic Organic Superbases – A Density Functional Theory B3LYP Study

Ines Despotović[a], Borislav Kovačević[a] and Zvonimir B. Maksić[a,b*]

[a] Quantum Organic Chemistry Group, Division of Organic Chemistry and Biochemistry, Rudjer Bošković Institute, Bijenička 54, 10000 Zagreb, Croatia

[b] Faculty of Science and Mathematics, Department of Physical Chemistry, The University of Zagreb, Horvatovac 102A, 10000 Zagreb, Croatia



8a

Figure S1



8aH$^{+}_{(N1)}$

Figure S2



8aH$^{+}_{(N4)}$

Figure S3



8b

Figure S4



8bH$^{+}_{(N1)}$

Figure S5



8bH$^{+}_{(N2)}$

Figure S6



8bH$^{+}_{(N3)}$

Figure S7



8bH$^{+}_{(N4)}$

Figure S8



8g

Figure S9



8gH$^{+}_{(N1)}$

Figure S10



8gH$^{+}_{(N4)}$

Figure S11



Supplementary Material (ESI) for New Journal of Chemistry

9a

Figure S12



9aH$^{+}_{(N1)}$

Figure S13



9g

Figure 14



9gH$^{+}_{(N1)}$

Figure S15