

[60]Fullerene Cycloaddition Across Hindered Acenes

Irvinder Kaur and Glen P. Miller*


Department of Chemistry and Materials Science Program

University of New Hampshire


23 College Rd. Durham, NH 03824

glen.miller@unh.edu

6,13-Bis(2',6'-dimethylphenyl)-6,13-dihydropentacene-6,13-diol




6,13-Bis(2',6'-dimethylphenyl)-6,13-dihydropentacene-6,13-diol




Irvinder Kaur and Glen P. Miller University of New Hampshire


6,13-Bis(2',6'-dimethylphenyl)-6,13-dihydropentacene-6,13-diol




6,13-Bis(2',6'-dimethylphenyl)-6,13-dihydropentacene-6,13-diol



6,13-Bis(2',6'-dimethylphenyl)-6,13-dihydropentacene-6,13-diol




6,13-Bis(2',6'-dimethylphenyl)pentacene (1)




Irvinder Kaur and Glen P. Miller University of New Hampshire


6,13-Bis(2',6'-dimethylphenyl)pentacene (1)




6,13-Bis(2',6'-dimethylphenyl)pentacene (1)




6,13-Bis(2',6'-dimethylphenyl)pentacene (1)



6,13-Bis(2',6'-dimethylphenyl)pentacene (1)




6,13-Bis(2',6'-diethylphenyl)-6,13-dihydropentacene-6,13-diol




Irvinder Kaur and Glen P. Miller University of New Hampshire


6,13-Bis(2',6'-diethylphenyl)-6,13-dihydropentacene-6,13-diol



6,13-Bis(2',6'-diethylphenyl)-6,13-dihydropentacene-6,13-diol




6,13-Bis(2',6'-diethylphenyl)-6,13-dihydropentacene-6,13-diol




Irvinder Kaur and Glen P. Miller University of New Hampshire

6,13-Bis(2',6'-diethylphenyl)-6,13-dihydropentacene-6,13-diol




6,13-Bis(2',6'-diethylphenyl)pentacene (2)




Irvinder Kaur and Glen P. Miller University of New Hampshire


6,13-Bis(2',6'-diethylphenyl)pentacene (2)




6,13-Bis(2',6'-diethylphenyl)pentacene (2)




6,13-Bis(2',6'-diethylphenyl)pentacene (2)




6,13-Bis(2',6'-diethylphenyl)pentacene (2)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene monoadduct (3)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene monoadduct (3)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene monoadduct (3)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene monoadduct (3)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene monoadduct (3)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene monoadduct (3)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene-dioxo bisadduct (*syn*-8)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene-dioxo bisadduct (*syn*-8)



[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene-dioxo bisadduct (*syn*-8)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene-dioxo bisadduct (*syn*-8)




155.0 150.0 145.0 140.0 135.0 130.0 125.0 120.0
ppm (t1)

Irvinder Kaur and Glen P. Miller University of New Hampshire


[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene-dioxo bisadduct (*syn*-8)




[60]Fullerene-6,13-bis(2,6-dimethylphenyl)pentacene-dioxo
bisadduct-Syn (8)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene-dioxo bisadduct (*anti*-9)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene-dioxo bisadduct (*anti*-9)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene-dioxo bisadduct (*anti*-9)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene-dioxo bisadduct (*anti*-9)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene-dioxo bisadduct (*anti*-9)




[60]Fullerene-6,13-bis(2',6'-dimethylphenyl)pentacene-dioxo bisadduct (*anti*-9)




[60]Fullerene-6,13-bis(2,6-dimethylphenyl)pentacene-dioxo
bisadduct-Anti (9)




[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene monoadduct (4)




[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene monoadduct (4)



[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene monoadduct (4)




[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene monoadduct (4)




ppm (t1)

Irvinder Kaur and Glen P. Miller University of New Hampshire


[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene monoadduct (4)




[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene-dioxo bisadduct (*syn*-10)




[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene-dioxo bisadduct (*syn*-10)



[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene-dioxo bisadduct (*syn*-10)




[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene-dioxo bisadduct (*syn*-10)




Irvinder Kaur and Glen P. Miller University of New Hampshire


[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene-dioxo bisadduct (*syn*-10)




[60]Fullerene-6,13-bis(2,6-diethylphenyl)pentacene-dioxo
bisadduct-Syn (10)



[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene-dioxo bisadduct (*anti*-11)




[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene-dioxo bisadduct (*anti*-11)




Irvinder Kaur and Glen P. Miller University of New Hampshire


[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene-dioxo bisadduct (*anti*-11)



[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene-dioxo bisadduct (*anti*-11)



[60]Fullerene-6,13-bis(2',6'-diethylphenyl)pentacene-dioxo bisadduct (*anti*-11)



[60]Fullerene-6,13-bis(2,6-diethylphenyl)pentacene-dioxo
bisadduct-Anti (11)

