

Electronic Supplementary Information for:

**De novo Synthesis and Properties of Analogues
of the Self-Assembling Chlorosomal Bacteriochlorophylls**

Olga Mass, Dinesh R. Pandithavidana, Marcin Ptaszek, Koraliz Santiago,
Joseph W. Springer, Jieying Jiao, Qun Tang, Christine Kirmaier,
David Bocian, Dewey Holten, and Jonathan S. Lindsey

Table of Contents

<u>Topic</u>	<u>Page</u>
1. Resonance Raman Spectra	S2
2. ^1H NMR Spectral Data	S3–S35

1. Resonance Raman Spectra.









Figure S1. Soret excitation ($\lambda_{\text{ex}} = 415 \text{ nm}$) of (A) **ZnOP-He³M¹⁰**, and (B) **FbOP-He³M¹⁰** in CH_2Cl_2 solutions and solid films.





FbC-Br^{3,13}M¹⁰
(in CDCl₃)





















FbHP-He³M¹⁰
diastereomer 1
(in CDCl₃)













FbC-Br_{3,13}P₁₀
(in CDCl₃)










FbC-A $^{3,13}\text{P}^{10}\text{Br}^{15}$
(in CDCl_3)






FbOP-A³P¹⁰
(in CDCl₃)


































OxoZnC-P¹⁰
(in CDCl_3)







OxoFbc-P¹⁰Br²⁰
(in CDCl₃)

