

Supporting Information

Cobalt carbonyl as an effective CO source in one-pot synthesis of esters from aryl halides

P.Baburajan^a, R.Senthilkumaran^b, K.P.Elangovan^{a*}

^aDepartment of Chemistry, Gandhigram Rural Institute-Deemed University, Gandhigram 624302, India.

^bSyngene International Ltd. Bangalore 560099, India.


To be published in *New J. Chem.*

CONTENTS

1. Microwave irradiation parameters.....	2
2. Safety Parameters.....	2
3. ¹ H & ¹³ C NMR spectra.....	3-42

1 Microwave irradiation parameters (Fig. S1)


All the reactions were executed with a Biotage Initiator. Biotage high precision microwave vials and magnetic pellets are used for the reactions. The temperature, pressure and power profile during a carbonylation reaction at irradiated 90 °C for 30 min as explained in any of the methods discussed above is as given below:




2 Safety parameters

Carbon monoxide gas is highly toxic and should be handled by trained professionals in well ventilated fume hood with appropriate ventilation. In all the reactions, $\text{Co}_2(\text{CO})_8$ was handled carefully in Fume hoods and by using appropriate personal protective clothing and equipment.




Spectral Data (^1H & ^{13}C GC-MS) of all products











2b, ethyl 4-methylbenzoate







2b, ethyl 4-methylbenzoate
























2f, ethyl 4-fluorobenzoate






2f, ethyl 4-fluorobenzoate








2g, ethyl 4-chlorobenzoate




2g, ethyl 4-chlorobenzoate







2h, ethyl 4-formylbenzoate





2h, ethyl 4-formylbenzoate











2i, ethyl 4-nitrobenzoate







2i, ethyl 4-nitrobenzoate





















2l, ethyl 4-formylbenzoate




2l, ethyl 4-formylbenzoate











2o, ethyl 3-fluorobenzoate









2p, ethyl 4-aminobenzoate






2p, ethyl 4-aminobenzoate









2q, ethyl 4-carbamoylbenzoate





2q, ethyl 4-carbamoylbenzoate


















2u, isobenzofuran-1(3H)-one







3a, ethyl methyl terephthalate




3a, ethyl methyl terephthalate









3b, diethyl terephthalate




3b, diethyl terephthalate









3c, ethyl isopropyl terephthalate




3d, butyl ethyl terephthalate





3d, butyl ethyl terephthalate






3e, benzyl ethyl terephthalate








3f, ethyl phenyl terephthalate




3f, ethyl phenyl terephthalate











3i, ethyl 4-(dimethylcarbamoyl)benzoate



3i, ethyl 4-(dimethylcarbamoyl)benzoate

