

## Supporting Information

### One Pot domino reaction accessing $\gamma$ -nitroesters.

#### Synthesis of GABA derivatives


Fabricio F. Naciuk,<sup>a</sup> Débora Z. Vargas,<sup>a</sup> Caroline R. Montes D’Oca,<sup>a</sup> Celso C. Moro<sup>b</sup>

and Dennis Russowsky<sup>a\*</sup>


*Corresponding author e-mail:* dennis.russowsky@ufrgs.br

#### Contents



1. $^1\text{H}$ and $^{13}\text{C}$ NMR spectra .....	S2-S30
---	--------



<sup>1</sup>H NMR (300 MHz, CDCl<sub>3</sub>) of compound **3a**



<sup>13</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound **3a**







$\text{---}^{201.81}$   
 $\text{---}^{201.11}$

$\text{---}^{149.37}$   
 $\text{---}^{149.01}$


$\text{---}^{-128.17}$   
 $\text{---}^{-119.99}$   
 $\text{---}^{111.54}$   
 $\text{---}^{111.15}$

$\text{---}^{-78.44}$   
 $\text{---}^{-70.85}$   
 $\text{---}^{55.98}$   
 $\text{---}^{55.81}$   
 $\text{---}^{-42.48}$   
 $\text{---}^{30.40}$   
 $\text{---}^{29.46}$








<sup>1</sup>H NMR (300 MHz, CDCl<sub>3</sub>) of compound 3c




<sup>13</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound 3c




**<sup>1</sup>H NMR** (300 MHz, CDCl<sub>3</sub>) of compound **3d**




**<sup>13</sup>C NMR** (75 MHz, CDCl<sub>3</sub>) of compound **3d**




<sup>1</sup>H NMR (300 MHz CDCl<sub>3</sub>) of compound **3e**





<sup>13</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound **3e**




<sup>1</sup>H NMR (300 MHz, CDCl<sub>3</sub>) of compound **3f**







<sup>1</sup>H NMR (300 MHz, CDCl<sub>3</sub>) of compound 3g






<sup>13</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound 3g





<sup>1</sup>H NMR (300 MHz, CDCl<sub>3</sub>) of compound **3h**




<sup>13</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound **3h**










<sup>1</sup>H NMR (300 MHz, CDCl<sub>3</sub>) of compound **3j**





<sup>13</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound **3j**




<sup>13</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound **3k**











<sup>1</sup>H NMR (300 MHz, CDCl<sub>3</sub>) of compound **3m**




<sup>13</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound **3m**












<sup>1</sup>H NMR (300 MHz, CDCl<sub>3</sub>) of compound **3o**





<sup>13</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound **3o**










**1<sup>3</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound **4b****








<sup>1</sup>H NMR (300 MHz, CDCl<sub>3</sub>) of compound **4d**





<sup>13</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound **4d**




$^1\text{H}$  NMR (300 MHz,  $\text{CDCl}_3$ ) of compound **4e**




$^{13}\text{C}$  NMR (75 MHz,  $\text{CDCl}_3$ ) of compound **4e**






<sup>13</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound **4f**







<sup>1</sup>H NMR (300 MHz, CDCl<sub>3</sub>) of compound **4g**




<sup>13</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound **4g**










<sup>1</sup>H NMR (300 MHz, CDCl<sub>3</sub>) of compound **10a**




<sup>13</sup>C NMR (75 MHz, CDCl<sub>3</sub>) of compound **10a**







**<sup>1</sup>H NMR** (300 MHz, D<sub>2</sub>O) of Phenibut (**11**)



**<sup>13</sup>C NMR** (75 MHz, D<sub>2</sub>O) of Phenibut (**11**)



${}^1\text{H}$  NMR (300 MHz,  $\text{D}_2\text{O}$ ) of Baclofen (**12**)



${}^{13}\text{C}$  NMR (75 MHz,  $\text{D}_2\text{O}$ ) of Baclofen (**12**)