

Supporting information

Ultrathin Porous Hierarchically Textured NiCo₂O₄/Graphene oxide Flexible Nanosheets for High-Performance Supercapacitors

**Elias Mitchell^a, Ashley Jimenez^a, Ram K. Gupta^{a*}, Bipin Kumar Gupta^b, Karthik
Ramasamy^c, Mohammad Shahabuddin^d, Sanjay R. Mishra^d**

^aDepartment of Chemistry, Pittsburg State University, 1701 S. Broadway, Pittsburg, KS 66762,
USA

^bNational Physical Laboratory (CSIR), Dr K.S. Krishnan Road, New Delhi 110012, India

^cThe Center for Integrated Nanotechnologies, Los Alamos National Laboratory, Albuquerque,
NM 87545, USA

^dDepartment of Physics, The University of Memphis, Memphis, TN 38152, USA

*Corresponding author. E-mail address: ramguptamsu@gmail.com (R.K. Gupta)




Figure S1: XRD patterns of the synthesized GO.




Figure S2: FT-IR spectra of the synthesized GO.




Figure S3: Raman spectra of synthesized GO.




Figure S4: Current versus square root of scan rate for (a) NiCo₂O₄ and (b) NiCo₂O₄-GO (dotted line is guide to eye).