

SUPPLEMENTARY INFORMATION

Nitric oxide inhibition, antioxidant and antitumour activities of novel copper(II) bis-benzimidazole diamide nanocoordination complexes

Manisha Singla^a, Rajeev Ranjan^b, Kuldeep Mahiya^c, Subash C. Mohapatra^{d*}, Sharif Ahmad^e

^a*Department of Chemistry, Keshav Mahavidhyalya, University of Delhi, New Delhi, India*

^b*Department of Zoology, University of Delhi, New Delhi, India*

^c*Department of Chemistry, Ch. Devi Lal University, Sirsa, Haryana, India.*

^{d*}*Department of Chemistry, Atma Ram Sanatan Dharma College, University of Delhi, New Delhi, India*

^e*Department of chemistry, Jamia Millia Islamia, New Delhi, India.*

Corresponding Author: Dr. Subash C. Mohapatra^{*}

E-mail : subashcm@gmail.com.

Phone No. +91 11 24113436, ext. 3268; Fax No. +91 11 24111390

1. **Figure S1.** EPR spectra of [LCuCl]Cl in methanol at microwave frequency 9.451 GHz and receiver gain 10^3 .
2. **Figure S2** EPR spectra of [LCuNO₃]NO₃ in methanol at microwave frequency 9.440 GHz and receiver gain 10^3 .
3. **Figure S3** EPR spectra of [LCuSCN]SCN in methanol at microwave frequency 9.443 GHz and receiver gain 10^3 .




Figure S1. EPR spectra of [LCuCl]Cl in methanol at microwave frequency 9.451 GHz and receiver gain 10^3 .




Figure S2 EPR spectra of $[\text{LCuNO}_3]\text{NO}_3$ in methanol at microwave frequency 9.440 GHz and receiver gain 10^3 .




Figure S3 EPR spectra of [LCuSCN]SCN in methanol at microwave frequency 9.443 GHz and receiver gain 10^3 .