

Support Information

Pre-lithiation of onion-like carbon/MoS₂ nano-urchin anodes for high-performance rechargeable lithium ion batteries

Ye Wang¹, Guozhong Xing², Zhao Jun Han,³ Yumeng Shi,¹ Jen It Wong,¹ Zhi Xiang Huang,¹ Kostya (Ken) Ostrikov,^{3,4,5} Hui Ying Yang^{1†}

¹ Pillar of Engineering Product Development, Singapore University of Technology and Design, 20 Dover Drive, 138682, Singapore

² School of Materials Science and Engineering, The University of New South Wales, Sydney, New South Wales 2052, Australia

³ CSIRO Materials Science and Engineering, P.O. Box 218, Lindfield, New South Wales 2070, Australia

⁴ School of Chemistry, Physics, and Mechanical Engineering, Queensland University of Technology, Brisbane, Queensland 4000, Australia

⁵ School of Physics, The University of Sydney, New South Wales 2006, Australia

[†] Corresponding author. Tel.: +65 6303 6663; Fax: +65 6779 5161.
E-mail address: yanghuiying@sutd.edu.sg (H. Y. Yang)




Figure S1. SEM image of onion-like carbon.




Figure S2. TGA and DSC curves of MoS₂/OLC nano-urchins.




Figure S3. Cycling performance of commercial MoS₂.