

Supplementary Information for

Atomically resolved orientational ordering of C₆₀ molecules on epitaxial graphene on Cu(111)

Minbok Jung,^{ab} Dongbin Shin,^c So-Dam Sohn,^{ab} Soon-Yong Kwon,^a Noejung Park^c, and Hyung-Joon Shin^{ab}*

^a School of Materials Science and Engineering, Center for Multidimensional Carbon Materials, and Low Dimensional Carbon Materials Center, Ulsan National Institute of Science and Technology (UNIST), UNIST-gil 50, Ulsan 689-798, Republic of Korea

^b KIST-UNIST Ulsan Center for Convergent Materials, Ulsan National Institute of Science and Technology (UNIST), UNIST-gil 50, Ulsan 689-798, Republic of Korea

^c Department of Physics, Center for Multidimensional Carbon Materials and Low Dimensional Carbon Materials Center, Ulsan National Institute of Science and Technology (UNIST), UNIST-gil 50, Ulsan 689-798, Republic of Korea

* Authors to whom correspondence should be addressed.

Tel.: +82-52-217-2329

Fax: +82-52-217-2309

E-mail address: shinhj@unist.ac.kr (H.J.Shin)




Fig. S1 Self-assembled fullerene islands of various sizes. (a) $V_{sample} = 1.5$ V and $I_t = 50$ pA, (b) $V_{sample} = 2.0$ V and $I_t = 50$ pA, and (c) $V_{sample} = 1.5$ V and $I_t = 50$ pA. The bottom images are magnified images of the upper ones.