

Supporting Information

Adsorption in alumina pores open at one and at both ends

Lorenzo Bruschi,^a Giampaolo Mistura,^{b,*} Sang-Joon Park^c and Woo Lee^{c,d*}

^aCNISM Unità di Padova, via Marzolo 8, 35131 Padova (Italy)

^bCNISM and Dipartimento di Fisica e Astronomia G. Galilei, Università di Padova, via Marzolo 8,
35131 Padova (Italy)

^cKorea Research Institute of Standards and Science (KRISS), Yuseong, 305-340 Daejeon (Korea)

^dUniversity of Science and Technology (UST), Yuseong, 305-333 Daejeon (Korea)

E-mail: giampaolo.mistura@unipd.it, woolee@kriss.re.kr

Figure Captions for Supporting Information:

Figure S1. Representative SEM images of (a) top and (b) bottom surface of porous AAO membrane ($D_p = 22$ nm, scale bars = 200 nm). The pore size distributions in the respective images are shown as histogram in (c) and (d).

Figure S2. Representative SEM images of (a) top and (b) bottom surface of porous AAO membrane ($D_p = 67$ nm, scale bars = 200 nm), together with (c, d) the histograms showing the pore size distributions in the respective images.




Figure S2. Representative SEM images of (a) top and (b) bottom surface of porous AAO membrane ($D_p = 22$ nm, scale bars = 200 nm). The pore size distributions in the respective images are shown as histogram in (c) and (d).




Figure S3. Representative SEM images of (a) top and (b) bottom surface of porous AAO membrane ($D_p = 67$ nm, scale bars = 200 nm), together with (c, d) the histograms showing the pore size distributions in the respective images.