



## Concise synthesis of the tricyclic core of lycoposerramine S

Mark C. Elliott, Nahed N. E. El Sayed and James S. Paine


**1,4-*cis*-1-(3-Chloro-2-hydroxypropyl)-1-hydroxymethyl-4-methylcyclohexa-2,5-diene (8)**




**1,4-trans-1-(3-Chloro-2-hydroxypropyl)-1-hydroxymethyl-4-methylcyclohexa-2,5-diene (9)**




**1,4-cis-1-(3-Chloro-2-hydroxypropyl)-1-(*tert*-butyldiphenylsilyloxy methyl)-4-methylcyclohexa-2,5-diene (10)**





**(2*RS*,3*a**RS*,5*SR*,7*a**RS*)-7*a*-((*tert*-Butyldiphenylsilyloxy)methyl)-5-methyl-2,3*a*,4,5,7*a*-hexahydro-1*H*-inden-2-ol (11)**




**(2*S*,3*a**R*,5*S**R*,7*a**R**S*)-7*a*-((*tert*-Butyldiphenylsilyloxy)methyl)-5-methyl-2,3,3*a*,4,5,7*a*-hexahydro-1*H*-inden-2-ol (12)**




**2-((2*S*,3*a**R*,5*S**R*,7*a**RS*)-7*a*-((*tert*-Butyldiphenylsilyloxy)methyl)-5-methyl-2,3,*3a*,4,5,7*a*-hexahydro-1*H*-inden-2-yl)isoindoline-1,3-dione (17)**




**(2SR,3aRS,5SR,7aRS)-7a-((tert-Butyldiphenylsilyloxy)methyl)-5-methyl-2,3,3a,4,5,7a-hexahydro-1H-inden-2-amine (18)**




*N*-((2*S*,3*a**R*,5*S**R*,7*a**R**S*)-7*a*-((*tert*-Butyldiphenylsilyloxy)methyl)-5-methyl-2,3,3*a*,4,5,7*a*-hexahydro-1*H*-inden-2-yl)-4-nitrobenzenesulfonamide (19)




**(2*S*,3*a**S*,4*R*,6*R*,7*R*,7*a**S*)-3*a*-(*tert*-Butyldimethylsilyloxy)methyl)-7-iodo-6-methyl-1-(4-nitrobenzenesulfonyl)-2,4-methanoctahydroindole (20)**




***N-((2*S*,3*a**R*,5*S**R*,7*a**R**S*)-7*a*-((*tert*-Butyldiphenylsilyloxy)methyl)-5-methyl-2,3,3*a*,4,5,7*a*-hexahydro-1*H*-inden-2-yl)-toluenesulfonamide (21)***




**(2RS,3aSR,4RS,6RS,7RS,7aRS)-3a-(*tert*-Butyldimethylsilyloxy methyl)-7-iodo-6-methyl-1-(4-toluenesulfonyl)-2,4-methanoctahydroindole (22)**





22




**(2*S*,3*a**S*,4*R*,6*R*,7*R*,7*a**S*)-3*a*-(*tert*-Butyldimethylsilyloxy)methyl)-6-methyl-1-(4-toluenesulfonyl)-2,4-methanoctahydroindole (23)**



**(2RS,3aSR,4RS,6RS,7RS,7aRS)-3a-(*tert*-Butyldimethylsilyloxy)methyl-6-methyl-2,4-methanooctahydroindole (24)**






### Lycoposerramine S (2)

Spectra kindly provided by Professor H. Takayama (Chiba University, Japan).

F:\Lycopodium serratum\T-4-i\E16-C45\3KXATAXAM-E16-C45.als  
E16-C45



**2**, Lycoposerramine S

F:\Lycopodium serratum\T-4-i\E16-C45\3KXATAXAM-E16-C45-2.als  
E16-C45 wide

