

Supporting Information

Continuous flow processing from microreactors to mesoscale: the Bohlmann-Rahtz cyclodehydration reaction

Mark C. Bagley,^{*a} Vincenzo Fusillo,^a Robert L. Jenkins,^a M. Caterina Lubinu^a and Christopher Mason^b


^a School of Chemistry, Main Building, Cardiff University, Park Place, Cardiff, CF10 3AT, UK. Fax: +44 29 2087 4030; Tel: +44 29 2087 4029; E-mail: Bagleymc@cardiff.ac.uk

^b CEM (Microwave Technology) Ltd, 2 Middle Slade, Buckingham, MK18 1WA, UK. Fax: +44 29 1280 822342; Tel: +44 1280 822873.


CONTENTS.

- S2 ¹H NMR for (2Z,4E)-2-amino-3-ethoxycarbonyl-6-phenylhexadien-6-one (**3a**)
S2 ¹³C NMR for (2Z,4E)-2-amino-3-ethoxycarbonyl-6-phenylhexadien-6-one (**3a**)
S3 ¹H NMR for (2Z,4E)-2-amino-3-ethoxycarbonyl-6-(4-chlorophenyl)-hexa-dien-6-one (**3b**)
S3 ¹³C NMR for (2Z,4E)-2-amino-3-ethoxycarbonyl-6-(4-chlorophenyl)-hexa-dien-6-one (**3b**)
S4 ¹H NMR for (2Z,4E)-2-amino-3-ethoxycarbonylheptadien-6-one (**3c**)
S4 ¹³C NMR for (2Z,4E)-2-amino-3-ethoxycarbonylheptadien-6-one (**3c**)
S5 ¹H NMR for (2Z,4E)-2-amino-3-tert-butoxycarbonylheptadien-6-one (**3d**)
S5 ¹³C NMR for (2Z,4E)-2-amino-3-tert-butoxycarbonylheptadien-6-one (**3d**)
S6 ¹H NMR for ethyl 2-methyl-6-phenylpyridine-3-carboxylate (**4a**)
S6 ¹³C NMR for ethyl 2-methyl-6-phenylpyridine-3-carboxylate (**4a**)
S7 ¹H NMR for ethyl 2-methyl-6-(4-chlorophenyl)pyridine-3-carboxylate (**4b**)
S7 ¹³C NMR for ethyl 2-methyl-6-(4-chlorophenyl)pyridine-3-carboxylate (**4b**)
S8 ¹H NMR for ethyl 2,6-dimethylpyridine-3-carboxylate (**4c**)
S8 ¹³C NMR for ethyl 2,6-dimethylpyridine-3-carboxylate (**4c**)
S9 ¹H NMR for *tert*-butyl 2,6-dimethylpyridine-3-carboxylate (**4d**)
S9 ¹³C NMR for *tert*-butyl 2,6-dimethylpyridine-3-carboxylate (**4d**)


¹H NMR for (2Z,4E)-2-amino-3-ethoxycarbonyl-6-phenylhexadien-6-one (**3a**)




¹³C NMR for (2Z,4E)-2-amino-3-ethoxycarbonyl-6-phenylhexadien-6-one (**3a**)




^1H NMR for (2Z,4E)-2-amino-3-ethoxycarbonyl-6-(4-chlorophenyl)-hexa-dien-6-one (**3b**)




^{13}C NMR for (2Z,4E)-2-amino-3-ethoxycarbonyl-6-(4-chlorophenyl)-hexa-dien-6-one (**3b**)




^1H NMR for (2Z,4E)-2-amino-3-ethoxycarbonylheptadien-6-one (3c)




^{13}C NMR for (2Z,4E)-2-amino-3-ethoxycarbonylheptadien-6-one (3c)




^1H NMR for (2Z,4E)-2-amino-3-tert-butoxycarbonylheptadien-6-one (**3d**)




^{13}C NMR for (2Z,4E)-2-amino-3-tert-butoxycarbonylheptadien-6-one (**3d**)




¹H NMR for ethyl 2-methyl-6-phenylpyridine-3-carboxylate (**4a**)




¹³C NMR for ethyl 2-methyl-6-phenylpyridine-3-carboxylate (**4a**)




¹H NMR for ethyl 2-methyl-6-(4-chlorophenyl)pyridine-3-carboxylate (**4b**)




¹³C NMR for ethyl 2-methyl-6-(4-chlorophenyl)pyridine-3-carboxylate (**4b**)




¹H NMR for ethyl 2,6-dimethylpyridine-3-carboxylate (**4c**)



¹³C NMR for ethyl 2,6-dimethylpyridine-3-carboxylate (**4c**)



^1H NMR for *tert*-butyl 2,6-dimethylpyridine-3-carboxylate (**4d**)



^{13}C NMR for *tert*-butyl 2,6-dimethylpyridine-3-carboxylate (**4d**)

