

Electronic Supplementary Information

Constituents of *Amoora cucullata* with TRAIL resistance overcoming activity

Firoj Ahmeda, Kazufumi Toume, Samir K. Sadhu, Takashi Ohtsuki, Midori A. Arai, and Masami Ishibashi*

(ESI1) ¹H and ¹³C spectra of 4 new compounds (**1** – **4**)

Figure 10 (a) ¹H NMR spectrum of compound **1** in CDCl₃

Figure 10 (b) ¹³C NMR spectrum of compound **1** in CDCl₃

Figure 11 (a) ¹H NMR spectrum of compound **2** in CDCl₃

Figure 11 (b) ¹³C NMR spectrum of compound **2** in CDCl₃

Figure 12 (a) ¹H NMR spectrum of compound **3** in CDCl₃

Figure 12 (b) ¹³C NMR spectrum of compound **3** in CDCl₃

Figure 13 (a) ¹H NMR spectrum of compound **4** in CDCl₃

Figure 13 (b) ¹³C NMR spectrum of compound **4** in CDCl₃

Figure 10 (a) ^1H NMR spectrum of compound **1** in CDCl_3




Figure 10 (b) ^{13}C NMR spectrum of compound **1** in CDCl_3




Figure 11 (a) ^1H NMR spectrum of compound **2** in CDCl_3




Figure 11 (b) ^{13}C NMR spectrum of compound **2** in CDCl_3




Figure 12 (a) ^1H NMR spectrum of compound **3** in CDCl_3




Figure 12 (b) ^{13}C NMR spectrum of compound **3** in CDCl_3




Figure 13 (a) ^1H NMR spectrum of compound **4** in CDCl_3




Figure 13 (b) ^{13}C NMR spectrum of compound **4** in CDCl_3

