

Supporting Information

for

Sequential two-step multienzyme synthesis of tumor-associated sialyl T-antigens and derivatives

Kam Lau, Hai Yu, Vireak Thon, Zahra Khedri, Meghan E. Leon, Bao K. Tran and Xi Chen*


Department of Chemistry, University of California, One Shields Avenue, Davis, CA 95616, USA

*Correspondence to: Xi Chen, Department of Chemistry, University of California, One Shields Avenue, Davis, California, 95616, USA. Tel: 530-754-6037; Fax: 530-752-8995; E-mail: chen@chem.ucdavis.edu


Table of Contents

¹ H and ¹³ C NMR spectra for compound 10	S2–S3
¹ H and ¹³ C NMR spectra for compound 11	S4–S5
¹ H and ¹³ C NMR spectra for compound 12	S6–S7
¹ H and ¹³ C NMR spectra for compound 13	S8–S9
¹ H and ¹³ C NMR spectra for compound 14	S10–S11
¹ H and ¹³ C NMR spectra for compound 15	S12–S13
¹ H and ¹³ C NMR spectra for compound 23	S14–S15
¹ H and ¹³ C NMR spectra for compound 24	S16–S17
¹ H and ¹³ C NMR spectra for compound 25	S18–S19
¹ H and ¹³ C NMR spectra for compound 26	S20–S21
¹ H and ¹³ C NMR spectra for compound 27	S22–S23
¹ H and ¹³ C NMR spectra for compound 28	S24–S25
¹ H and ¹³ C NMR spectra for compound 29	S26–S27


^1H NMR of sialoside Neu5Ac α 2-3Gal β 1-3GalNAc α ProN $_3$ **10**




^{13}C NMR of sialoside Neu5Ac α 2-3Gal β 1-3GalNAc α ProN $_3$ **10**




^1H NMR of sialoside Neu5Gc α 2-3Gal β 1-3GalNAc α ProN $_3$ **11**




^{13}C NMR of sialoside Neu5Gc α 2-3Gal β 1-3GalNAc α ProN $_3$ **11**




^1H NMR of sialoside Kdn α 2-3Gal β 1-3GalNAc α ProN $_3$ **12**




^{13}C NMR of sialoside $\text{Kdn}\alpha 2\text{-3Gal}\beta 1\text{-3GalNAc}\alpha\text{ProN}_3$ **12**




^1H NMR of sialoside Kdn5N₃α2-3Galβ1-3GalNAcαProN₃ **13**




^{13}C NMR of sialoside Kdn5N₃α2–3Galβ1–3GalNAcαProN₃ **13**




^1H NMR of sialoside Neu5AcN₃α2-3Galβ1-3GalNAcαProN₃ **14**




^{13}C NMR of sialoside Neu5AcN₃ α 2-3Gal β 1-3GalNAc α ProN₃ **14**




^1H NMR of sialoside Neu5Ac9N₃ α 2-3Gal β 1-3GalNAc α ProN₃ **15**




^{13}C NMR of sialoside Neu5Ac9N₃ α 2-3Gal β 1-3GalNAc α ProN₃ 15




^1H NMR of sialoside Neu5Ac α 2-3Gal β 1-3GalNAc **23**




^{13}C NMR of sialoside Neu5Ac α 2-3Gal β 1-3GalNAc **23**




^1H NMR of sialoside Neu5Ac α 2-3Gal β 1-3GalNAc β ProN $_3$ **24**




^{13}C NMR of sialoside Neu5Ac α 2-3Gal β 1-3GalNAc β ProN $_3$ **24**




^1H NMR of sialoside Neu5Ac α 2-3Gal β 1-3GalNAc α Ser **25**




^{13}C NMR of sialoside Neu5Ac α 2-3Gal β 1-3GalNAc α Ser **25**




^1H NMR of sialoside Neu5Ac α 2-3Gal β 1-3GalNAc α Thr **26**




^{13}C NMR of sialoside Neu5Ac α 2-3Gal β 1-3GalNAc α Thr **26**




^1H NMR of sialoside Neu5Ac α 2-3Gal β 1-3GlcNAc **27**




^{13}C NMR of sialoside Neu5Ac α 2-3Gal β 1-3GlcNAc 27




^1H NMR of sialoside Neu5Ac α 2-3Gal β 1-3GlcNAc β ProN $_3$ **28**



^{13}C NMR of sialoside Neu5Ac α 2-3Gal β 1-3GlcNAc β ProN $_3$ **28**



^1H NMR of sialoside Neu5Ac α 2-3Gal β 1-3GlcNAc α ProN $_3$ **29**



^{13}C NMR of sialoside Neu5Ac α 2-3Gal β 1-3GlcNAc α ProN $_3$ **29**

