

## *Supporting Information*

# **Design and Synthesis of Pyrrolidine-Containing Sphingomimetics**

**Seokwoo Lee, Sukjin Lee, Hyen Joo Park, Sang Kook Lee, and Sanghee Kim\***

College of Pharmacy, Seoul National University, San 56-1, Shilim, Kwanak, Seoul 151-742, Korea

*pennkim@snu.ac.kr*

## **Contents**

<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of compound <b>9</b>	S2-S3
<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of compound <b>10</b>	S4-S5
<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of compound <b>11</b>	S6-S7
<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of compound <b>12</b>	S8-S9
<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of compound <b>13</b>	S10-S11
<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of compound <b>14</b>	S12-S13
<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of compound <b>15</b>	S14-S15
<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of compound <b>6</b>	S16-S17
<sup>1</sup> H NMR and <sup>13</sup> C NMR spectra of compound <b>7</b>	S18-S19







































