

Supplementary Information – NMR Spectra

Second generation of Fucose-based DC-SIGN ligands : affinity improvement and specificity versus Langerin

Manuel Andreini^{[a] §}, Daniela Doknic^{[a] §}, Ieva Sutkeviciute^{[b], [e] §}, José J. Reina^[a], Janxin Duan^[c], Eric Chabrol^{[b], [e]}, Michel Thepaut^{[b], [e], [f]},
Elisabetta Moroni^[a], Fabio Doro^[a], Laura Belvisi^[a], Joerg Weiser^[c], Javier Rojo^[d], Franck Fieschi*^{[b], [e], [g]}, Anna Bernardi*^[a]

§ these authors, listed in alphabetical order, contributed equally to this work

a) Università degli Studi di Milano, Dipartimento di Chimica Organica e Industriale and CISI, via Venezian 21, 20133 Milano, Italy, anna.bernardi@unimi.it

b) Institut de Biologie Structurale, Université Grenoble I, 41 rue Jules Horowitz, 38027 Grenoble, France, fieschi@ibs.fr

c) Anterio consult&research, Augustaanlage 23, D-68165 Mannheim, Germany

d) Glycosystems Laboratory, Instituto de Investigaciones Químicas, CSIC – Universidad de Sevilla, Américo Vespucio 49, 41092 Sevilla (Spain)

e) CNRS, UMR 5075, Grenoble, France

f) CEA, Grenoble, France

g) Institut Universitaire de France, 103 boulevard Saint-Michel 75005 Paris, France

^1H -NMR and ^{13}C -NMR spectra of final compounds





























































































































