

Supporting Information

Enantioseparation of 1-arylethanols via a supramolecular chiral host consisting of *N*-(2-naphthoyl)-L-aspartic acid and an achiral diamine

Koichi Kodama*, Ayaka Kanno, Eriko Sekine and Takuji Hirose*


Graduate School of Science and Engineering, Saitama University,

255 Shimo-Ohkubo, Sakura, Saitama 338-8570, Japan

Table of Contents


Copies of ¹H NMR spectra of the reported compounds

S2 – S4




NAME a06ta022aa
 EXPNO 10
 PROCNO 1
 Date_ 20091208
 Time 20.02
 INSTRUM spect
 PROBHD 5 mm PABBO BB-
 PULPROG zg30
 TD 65536
 SOLVENT MeOD
 NS 8
 DS 2
 SWH 6188.119 Hz
 FIDRES 0.094423 Hz
 AQ 5.2953587 sec
 RG 203
 DW 80.800 usec
 DE 6.50 usec
 TE 298.1 K
 D1 1.00000000 sec
 TD0 1

===== CHANNEL f1 =====
 NUC1 1H
 P1 15.00 usec
 PL1 1.20 dB
 PL1W 8.19348145 W
 SFO1 300.1318534 MHz
 SI 32768
 SF 300.1300067 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00




L-1



NAME a06ta022aa
 EXPNO 5
 PROCNO 1
 Date_ 20100226
 Time 14.03
 INSTRUM spect
 PROBHD 5 mm PABBO BB-
 PULPROG zg30
 TD 65536
 SOLVENT DMSO
 NS 8
 DS 2
 SWH 6188.119 Hz
 FIDRES 0.094423 Hz
 AQ 5.2953587 sec
 RG 203
 DW 80.800 usec
 DE 6.50 usec
 TE 297.5 K
 D1 2.00000000 sec
 TD0 1



===== CHANNEL f1 =====
 NUC1 1H
 P1 15.00 usec
 PL1 1.20 dB
 PL1W 8.19348145 W
 SFO1 300.1318534 MHz
 SI 32768
 SF 300.1300000 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00





NAME a06ta022aa
EXPNO 27
PROCNO 1
Date_ 20100108
Time 11.34
INSTRUM spect
PROBHD 5 mm PABBO BB-
PULPROG zg30
TD 65536
SOLVENT MeOD
NS 8
DS 2
SWH 6188.119 Hz
FIDRES 0.094423 Hz
AQ 5.2953587 sec
RG 161
DW 80.800 usec
DE 6.50 usec
TE 297.5 K
D1 2.00000000 sec
TD0 1

===== CHANNEL f1 =====
NUC1 1H
P1 15.00 usec
PL1 1.20 dB
PL1W 8.19348145 W
SFO1 300.1318534 MHz
SI 32768
SF 300.1300048 MHz
WDW EM
SSB 0
LB 0.30 Hz
GB 0
PC 1.00



2