

Ready Access to a Branched Man₅ Oligosaccharide Based on Regioselective Glycosylations of a Mannose-Tetraol with *n*-Pentenyl Orthoesters

Clara Uriel,^a Ana M. Gómez,^{*a} J. Cristóbal López,^{*a} and Bert Fraser-Reid^b


*^aInstituto de Química Orgánica General (IQOG-CSIC), Juan de la Cierva 3,
28006 Madrid, Spain.*


e-mail: ana.gomez@csic.es (AMG), jc.lopez@csic.es (JCL).


*^bNatural Products and Glycotechnology Research Institute Inc., (NPG),
595F Weathersfield Road, Pittsboro, NC USA 27312*


Contents


Copies of ¹H and ¹³C NMR spectra























INDEX	FREQUENCY	PPM	HEIGHT
1	6822.842	135.687	167.0
2	6749.216	134.223	30.8
3	6592.809	131.112	24.1
4	6518.038	129.625	73.2
5	6503.924	129.344	23.9
6	6476.838	128.806	5.5
7	6421.524	127.706	160.9
8	5034.839	100.129	9.6
9	3911.376	77.786	81.2
10	3879.332	77.149	82.5
11	3847.669	76.519	81.9
12	3634.039	72.271	9.4
13	3610.769	71.808	9.4
14	3582.158	71.239	9.6
15	3391.036	67.438	10.1
16	3329.617	66.217	9.1
17	3214.791	63.933	29.2
18	3068.684	61.027	7.2
19	1628.592	32.388	21.4
20	1619.055	32.198	26.3
21	1478.670	29.407	15.4
22	1465.699	29.149	19.2
23	1357.740	27.002	116.6
24	1308.147	26.015	6.6
25	1298.992	25.833	25.4
26	972.444	19.339	31.2

