

Synthesis of a selective inhibitor of a fucose binding bacterial lectin from *Burkholderia ambifaria*

Barbara Richichi,^{*a} Anne Imberty,^b Emilie Gillon,^b Rosa Bosco,^a Ieva Sutkeviciute,^{c,d,e} Franck Fieschi^{c,d,e} and Cristina Nativi^a

^a Department of Chemistry, University of Florence, via della Lastruccia, 13, 50019 Sesto F.no (FI), Italy. Fax: +390554573570; Tel: +390554573492; E-mail: barbara.richichi@unifi.it;

^b CERMAV-CNRS (affiliated to University of Grenoble and ICMG), BP 53, 38041 Grenoble, France;

c. Univ. Grenoble Alpes, Institut de Biologie Structurale (IBS), 38000 Grenoble;

d. CNRS, IBS, 38000 Grenoble;

e. CEA, IBS, 38000 Grenoble.

Table of content

Copies of NMR spectra	Page
¹ H (400MHz, CDCl ₃) Compound 7	S2
¹³ C (100MHz, CDCl ₃) Compound 7	S3
gDQCOSY (400MHz, CDCl ₃) Compound 7	S4
gHSQC (400MHz, CDCl ₃) Compound 7	S5
¹ H (400MHz, CD ₃ OD) Compound 1	S6
¹³ C (100MHz, CD ₃ OD) Compound 1	S7
gDQCOSY (400MHz, CD ₃ OD) Compound 1	S8
gHSQC (400MHz, CD ₃ OD) Compound 1	S9




Figure 1. ¹H (400MHz, CDCl₃) Compound 7




Figure 2. ¹³C (100MHz, CDCl₃) Compound 7




Figure 3. gDQCOSY (400MHz, CDCl₃) Compound 7




Figure 4. gHSQC (400MHz, CDCl₃) Compound 7




Figure 6. ^1H (400MHz, CD_3OD) Compound 1




Figure 7. ¹³C (100MHz, CD₃OD) Compound 1





Figure 9. gHSQC (400MHz, CD₃OD) Compound 1