#### ESI

#### for

#### Chemoselective alcoholysis/acetolysis of trans-ketals over cis-ketals: Total synthesis of the

#### cellular second messenger, D-myo-inositol-1,4,5-trisphosphate

Adiyala Vidyasagar, Atchutarao Pathigoolla and Kana M. Sureshan\*

School of Chemistry,


Indian Institute of Science Education and Research, Thiruvananthapuram, Thiruvananthapuram – 695016, India.


#### INDEX

•	Crystal structure of 24a	<b>S</b> 3
•	<sup>1</sup> H NMR, COSY, <sup>13</sup> C NMR, DEPT and HMQC of compound <b>12a</b>	S4
•	<sup>1</sup> H NMR, COSY, <sup>13</sup> C NMR, DEPT and HMQC of compound <b>13c</b>	S7
•	<sup>1</sup> H NMR, COSY, <sup>13</sup> C NMR, DEPT and HMQC of compound <b>16c</b>	S10
•	<sup>1</sup> H NMR, COSY and <sup>13</sup> C NMR of compound <b>21a</b>	S14
•	<sup>1</sup> H NMR, COSY, <sup>13</sup> C NMR, DEPT and HMQC of compound <b>22b</b>	S16
•	<sup>1</sup> H NMR, COSY, <sup>13</sup> C NMR, DEPT and HMQC of compound <b>22c</b>	S19
•	<sup>1</sup> H NMR, COSY, <sup>13</sup> C NMR, DEPT and HMQC of compound <b>23b</b>	S23
•	<sup>1</sup> H NMR, COSY, <sup>13</sup> C NMR, DEPT and HMQC of compound <b>24b</b>	S25
•	<sup>1</sup> H NMR, COSY, <sup>13</sup> C NMR, DEPT and HMQC of compound <b>26a</b>	S28
•	<sup>1</sup> H NMR, COSY, <sup>13</sup> C NMR, DEPT and HMQC of compound <b>27a</b>	<b>S</b> 31

• <sup>1</sup> H NMR, COSY, <sup>13</sup> C NMR, DEPT and HMQC of compound <b>27b</b>	
• <sup>1</sup> H NMR of compound (+)- <b>35</b>	S37
• ${}^{31}$ P NMR of compound (+)- <b>35</b>	S38
• <sup>1</sup> H NMR of compound (+)- <b>36</b>	S38
• <sup>31</sup> P NMR of compound (+)- <b>36</b>	S39
• <sup>31</sup> P NMR of crude after phosphorylation with $POCl_3$	S39
• <sup>1</sup> H NMR of compound <b>5</b> ( $\mathbf{IP}_3$ )	S40
• $^{31}$ P NMR of compound <b>5</b> ( <b>IP</b> <sub>3</sub> )	S40

# **Crystal structure of 24a**





140 130 120

110

100

90


80

70 60 т

40

30 20

50



WDW SSB LB 0

0


10 ppmpc

1.00 Hz


1.40

# <sup>13</sup>C NMR of compound 12a


KMS-B-V-29 C13CPD E:\ IISER




#### HMQC of compound 12a




# <sup>1</sup>H NMR of compound 13c




## <sup>1</sup>H NMR of compound 13c




# <sup>13</sup>C NMR of compound 13c



#### COSY of compound 13c





**DEPT 135 of compound 13c** 

4.8

4.6

4.4


4.2

4.0

3.8

3.6

3.4




4.6


3.2 ppm


F1 SI MC2 SF MDW SSB LB CB Ceasing parameters 1024 QF 500.2300382 MHz States-TPPI 0 Hz

## HMQC of compound 13c




## <sup>1</sup>H NMR of compound 16c






# <sup>13</sup>C NMR of compound 16c

KMS-D-DTSM1




S11

#### **COSY of compound 16c**




#### COSY of compound 16c (zoom)




#### **DEPT-135 of compound 16c**






#### HMQC of Compound 16c




S13

#### HMQC of Compound 16c




## <sup>1</sup>H NMR of compound 21a


KMS-D-346 PROTON DMSO {D:\Sagar} NIIST 4




S14





#### COSY of comound 21a (ZOOM)






## <sup>1</sup>H NMR of compound 22b







# Electronic Supplementary Material (ESI) for Organic & Biomolecular Chemistry This journal is The Royal Society of Chemistry 2013




#### DEPT 135 of compound 22b









# <sup>1</sup>H NMR of compound 22c




S19











Current	Data Parameters	
NAME	Sagar	
<b>ICCPNO</b>	79	
PROCNO	1	
	ulaition Paramet	
V2 - Acq Date	20120925	.072
Time	14.56	
INSTRUM	spect	
PROGRD	5 mm PARRO RR-	
PULPROC	coxy gpppg?	
TD	2048	
SOLVENT	DMSO	
NS	1	
DS		
FIDRES	3378.378	Hz. Hz
AQ	1.649599 0.3031540	80.0
RC	64.12	ALC: NO
DW	148,000	LINC
DIC	6.50	LIBOC
TK	298.9	
DO	0.00000300	
D1	1.85008597	20 C
D11	0.03000000	
D12	0.00002000	
D13	0.00000400	200 C
D16 1ND	0.00020000	200
1000	0.00020600	200 C
	CHANNEL fl	
MJC1	18	
PO	9.04	1120 C
P1	9.04	1120 C
PIT	2500.00	
PLW1	27.16399956	*
PLW10 5F01	3.28390002	Max
28/01	200.2321296	PLACE.
	RADIENT CHANNEL	
CPSAM1	SMSQ10,100	-
CPZ1 P16	10.00	
P16	1000.00	1180 C
V1 - Acq	ulaition paramet	tora
TD	120	
59/01	500.2322	MEL
FIDRES	26.393581	Hz.
SN FoMODE	6.754	ppe
A UNICED	Qr.	
V2 - Pro	cessing paramete	1.1
51	1024	
58	500.2300000	MEL
NON	QSINK	
559	0	
LB	0 81	
PC	1.40	
	cessing paramete	111
51	1024	
MC2 SW	500.2300000	Max
NUN	500.2300000 TR	Con L
558	0	
1.63	0 Hz	
C33	0	


#### DEPT135 of compound 22c




#### HMQC of compound 22c




## <sup>1</sup>H NMR of compound 23b



#### COSY of compound 23b




# <sup>13</sup>C NMR of compound 23b





#### **DEPT-135 of compound 23b**






## HMQC of compound 23b












# <sup>13</sup>C NMR of compound 24b




#### **DEPT-135 of compound 24b**




## HMQC of compound 24b




# <sup>1</sup>H NMR of compound 26a




## <sup>1</sup>H NMR of compound 26a (zoom)




#### COSY of compound 26a




# <sup>13</sup>C NMR of compound 26a




#### **DEPT-135 of compound 26a**




# HMQC of compound 26a




# <sup>1</sup>H NMR of compound 27a




<sup>1</sup>H NMR of compound 27a(zoom)




COSY of compound 27a




<sup>13</sup>C NMR of compound 27a




**DEPT-135 of compound 27a** 




HMQC of compound 27a





<sup>1</sup>H NMR of compound 27b






COSY of compound 27b






DEPT-135 of compound 27b





150 140 130 120 110 100 90 80 70 60 50 40 30 20 10 ppm

HMQC of compound 27b




## <sup>1</sup>HNMR of compound (+)-35






# <sup>31</sup>P NMR of compound (+)-36

KMS-D-502-1 P31CPD CDCl3 E:\ IISER




# <sup>31</sup>P NMR of crude compound after POCl<sub>3</sub> phosphorylation



#### <sup>1</sup>H NMR of compound 5 ( IP<sub>3</sub>)

PROTON-IISER E:\ IISER





P31CPD E:\ IISER  $< \frac{4.57}{4.46}$ : Data Parameters Sagar 478 1 Current NAME EXPNO PROCNO 
 PROCNO
 1

 F2 - Acquisition Parameters
 20120416

 Time
 9.41

 Time
 9.42

 PROBHD
 5 mm B2L14/D 

 PULPROG
 x2pg30

 TD
 6536

 SOLVENT
 D20

 NS
 45

 SWH
 51821.74

 FORES
 1.423023 HE

 FORES
 0.4020041 BC

 CG
 0.101.08

 DW
 6.1330 use

 DE
 6.50 usec

 TE
 300.2 K

 D1
 0.0000000 sec

 D1
 0.0000000 sec

 D1
 0.0000000 sec
NUC1 P1 PLW1 SF01 ANNEL fl \_\_\_\_\_\_\_\_\_ 31P 21.45 usec 48.40000153 W 202.4866909 MHz HANNEL f2 waltz16 1H 80.00 usec 17.89999962 W 0.13277000 W 0.08497500 W 500.2320009 MHz CPDPRG2 NUC2 PCPD2 PLW2 F2 - Processing parameters SI 32768 SF 202.4968160 MHz WEW EM PPEB GB PC -5 15 10 0 -10 -15 0 5 1.00 Hz 1.25 0.94 0 1.40

S40