

SUPPORTING INFORMATION

Elusive 2-aminofuran Diels-Alder substrates for a straightforward synthesis of polysubstituted anilines

Ana G. Neo,^a Ana Bornadiego,^a Jesús Díaz,^a Stefano Marcaccini^b and Carlos F. Marcos^{*a}


^a Laboratorio de Química Orgánica y Bioorgánica (L.O.B.O.). Dept. Química Orgánica e Inorgánica. Facultad de Veterinaria. Universidad de Extremadura. 10071 Cáceres, Spain. E-mail: cfernán@unex.es


^b HeteroBioLab, Dipartimento di Chimica Organica, Università di Firenze. 50019 Sesto Fiorentino (FI), Italy


TABLE OF CONTENTS


| | |
|---|----|
| ¹ H-NMR of compound 7a | 3 |
| ¹³ C-NMR of compound 7a | 4 |
| ¹ H-NMR of compound 7b | 5 |
| ¹³ C-NMR of compound 7b | 6 |
| ¹ H-NMR of compound 7c | 7 |
| ¹³ C-NMR of compound 7c | 8 |
| ¹ H-NMR of compound 7d | 9 |
| ¹³ C-NMR of compound 7d | 10 |
| ¹ H-NMR of compound 7e | 11 |
| ¹³ C-NMR of compound 7e | 12 |
| ¹ H-NMR of compound 7f | 13 |
| ¹³ C-NMR of compound 7f | 14 |
| ¹ H-NMR of compound 7g | 15 |
| ¹³ C-NMR of compound 7g | 16 |
| ¹ H-NMR of compound 7h | 17 |
| ¹³ C-NMR of compound 7h | 18 |
| ¹ H-NMR of compound 7i | 19 |
| ¹³ C-NMR of compound 7i | 20 |
| ¹ H-NMR of compound 7j | 21 |
| ¹³ C-NMR of compound 7j | 22 |
| ¹ H-NMR of compound 7k | 23 |
| ¹³ C-NMR of compound 7k | 24 |
| ¹ H-NMR of compound 7l | 25 |
| ¹³ C-NMR of compound 7l | 26 |
| ¹ H-NMR of compound 7m | 27 |
| ¹³ C-NMR of compound 7m | 28 |
| ¹ H-NMR of compound 7n | 29 |
| ¹³ C-NMR of compound 7n | 30 |
| ¹ H-NMR of compound 7o | 31 |
| ¹³ C-NMR of compound 7o | 32 |
| ¹ H-NMR of compound 7p | 33 |
| ¹³ C-NMR of compound 7p | 34 |
| ¹ H-NMR of compound 7q | 35 |


| | |
|---|----|
| ¹³ C-NMR of compound 7q | 36 |
| ¹ H-NMR of compound 7r | 37 |
| ¹³ C-NMR of compound 7r | 38 |
| ¹ H-NMR of compound 7s | 39 |
| ¹³ C-NMR of compound 7s | 40 |
| ¹ H-NMR of compound 7t | 41 |
| ¹³ C-NMR of compound 7t | 42 |
| ¹ H-NMR of compound 7u | 43 |
| ¹³ C-NMR of compound 7u | 44 |
| ¹ H-NMR of compound 7v | 45 |
| ¹³ C-NMR of compound 7v | 46 |
| ¹ H-NMR of compound 7w | 47 |
| ¹³ C-NMR of compound 7w | 48 |
| ¹ H-NMR of compound 7x | 49 |
| ¹³ C-NMR of compound 7x | 50 |
| ¹ H-NMR of compound 7y | 51 |
| ¹³ C-NMR of compound 7y | 52 |
| ¹ H-NMR of compound 7z | 53 |
| ¹³ C-NMR of compound 7z | 54 |
| ¹ H-NMR of compound 7aa | 55 |
| ¹³ C-NMR of compound 7aa | 56 |
| ¹ H-NMR of Methyl 5-((2,6-dimethylphenyl)amino)-4-(4-methoxyphenyl)furan-2-carboxylate | 57 |
| ¹ H-NMR of compound 10a | 58 |
| ¹³ C-NMR of compound 10a | 59 |
| ¹ H-NMR of compound 11 | 60 |
| ¹³ C-NMR of compound 11 | 61 |
| GS-MS chromatograms of 4a and 10a | 62 |
| Chromatogram and MS spectra of compound 4a | 63 |
| Chromatogram and MS of compound 10a | 64 |























7d




























































































































































MS Data Review All Plots -



MS Data Review All Plots -

