

Microwave Assisted Base Dependent Regioselective Synthesis of Partially Reduced Chromenes, Isochromenes and Phenanthrenes

Pratik Yadav, Surjeet Singh, Satya Narayan Sahu, Firasat Hussain, Ramendra Pratap*

Supporting Information

Contents

¹ H and ¹³ C spectra of (<i>Z</i>)-2-(2-phenyl-5,6-dihydro-4 <i>H</i> -benzo[<i>f</i>]isochromen-4-ylidene)acetonitrile (7a)	2
¹ H and ¹³ C spectra of (<i>Z</i>)-2-(2-(4-methoxyphenyl)-5,6-dihydro-4 <i>H</i> -benzo[<i>f</i>]isochroen-4-ylidene)acetonitrile (7b)	3
¹ H and ¹³ C spectra of (<i>Z</i>)-2-(2-(4-fluorophenyl)-5,6-dihydro-4 <i>H</i> -benzo[<i>f</i>]isochromen-4-ylidene)acetonitrile (7c)	4
¹ H and ¹³ C spectra of (<i>Z</i>)-2-(2-(4-chlorophenyl)-5,6-dihydro-4 <i>H</i> -benzo[<i>f</i>]isochromen-4-ylidene)acetonitrile (7d)	5
¹ H and ¹³ C spectra of (<i>Z</i>)-2-(2-(4-bromophenyl)-5,6-dihydro-4 <i>H</i> -benzo[<i>f</i>]isochromen-4-ylidene)acetonitrile (7e)	6
¹ H and ¹³ C spectra of (<i>Z</i>)-2-(2-(4-bromophenyl)-8-methoxy-5,6-dihydro-4 <i>H</i> -benzo [<i>f</i>]isochromen-4-ylidene)acetonitrile (7f)	7
¹ H and ¹³ C spectra of (<i>Z</i>)-2-(8-methoxy-2-(4-methoxyphenyl)-5,6-dihydro-4 <i>H</i> -benzo [<i>f</i>]isochromen-4-ylidene)acetonitrile (7g)	8
¹ H and ¹³ C spectra of (<i>Z</i>)-2-(2-(thiophen-2-yl)-5,6-dihydro-4 <i>H</i> -benzo[<i>f</i>]isochromen-4-ylidene)acetonitrile (9a)	9
¹ H and ¹³ C spectra of (<i>Z</i>)-2-(8-methoxy-2-(thiophen-2-yl)-5,6-dihydro-4 <i>H</i> -benzo[<i>f</i>]isochromen-4-ylidene)acetonitrile (9b)	10
¹ H and ¹³ C spectra of (<i>Z</i>)-2-(3,4,7,8-tetrahydro-1 <i>H</i> -naphtho[2,1- <i>c</i>]chromen-6(2 <i>H</i>)-ylidene)acetonitrile (11a)	11
¹ H and ¹³ C spectra of (<i>Z</i>)-2-(10-methoxy-3,4,7,8-tetrahydro-1 <i>H</i> -naphtho[2,1- <i>c</i>]chromen-6(2 <i>H</i>)-ylidene)acetonitrile (11b)	12
¹ H and ¹³ C spectra of 3-(4-bromophenyl)-7-methoxy-1-(piperidin-1-yl)phenanthr- ene-2-carbonitrile (6c)	13























