

Supporting Information

A Rapid and Efficient Access to Renieramycin-Type Alkaloids Featuring a Temperature-Dependent Stereoselective Cyclization

*Hao Liu, Ruijiao Chen, Xiaochuan Chen**

Key Laboratory of Green Chemistry & Technology of Ministry of Education, College of Chemistry, Sichuan University, Chengdu 610064, PR China



E-mail: chenxc@scu.edu.cn

Table of Contents


A. Spectra for Compounds.....	S₃
--------------------------------------	----------------------

A. Spectra for Compounds



^1H NMR (400 MHz, CDCl_3) and ^{13}C NMR (100 MHz, CDCl_3) spectra of **20**




¹H NMR (400 MHz, CDCl₃) and ¹³C NMR (100 MHz, CDCl₃) spectra of **21**





^1H NMR (400 MHz, CDCl_3) and ^{13}C NMR (100 MHz, CDCl_3) spectra of **22**




^1H NMR (400 MHz, CDCl_3) and ^{13}C NMR (100 MHz, CDCl_3) spectra of **23**





^1H NMR (400 MHz, CDCl_3) and ^{13}C NMR (100 MHz, CDCl_3) spectra of **25**





^1H NMR (400 MHz, CDCl_3) and ^{13}C NMR (100 MHz, CDCl_3) spectra of **27**




^1H - ^1H COSY (400 MHz, CDCl_3) spectra of **27**





NOESY (400 MHz, CDCl₃) spectra of **27**





^1H NMR (400 MHz, CDCl_3) and ^{13}C NMR (100 MHz, CDCl_3) spectra of **28**





^1H NMR (400 MHz, $\text{DMSO-}d_6$) and ^{13}C NMR (100 MHz, $\text{DMSO-}d_6$) spectra of **29**





^1H NMR (400 MHz, CDCl_3) and ^{13}C NMR (100 MHz, CDCl_3) spectra of **31**



^1H NMR (400 MHz, CDCl_3) and ^{13}C NMR (100 MHz, CDCl_3) spectra of (-)-renieramycin G (7)



^1H NMR (400 MHz, CDCl_3) and ^{13}C NMR (100 MHz, CDCl_3) spectra of **32**



^1H NMR (400 MHz, CDCl_3) and ^{13}C NMR (100 MHz, CDCl_3) spectra of (-)-jorunnamycin A (**1**)

