

Supporting Information

A porphyrin/β-cyclodextrin conjugated nanostructure having a Pan-Lid molecular structure for smart drug carrier applications

Placido Mineo^{*a,b}

[a] Dipartimento di Scienze Chimiche and I.N.S.T.M. UdR of Catania, Università di Catania; Viale A. Doria, 6; 95125 Catania, Italy.

[b] CNR-IPCF Istituto per i Processi Chimico Fisici, Viale Ferdinando Stagno D'Alcontres, 37; 98158 - Messina, Italy.
E-mail: gmineo@unict.it

Table of Contents

Figure S1: COSY correlation spectrum of H₂PTEG₃OH

Figure S2: t-ROESY correlation spectrum of H₂PTEG₃OH

Figure S3: COSY correlation spectrum of H₂PTEG₃-iPHTCl

Figure S4: t-ROESY correlation spectrum of H₂PTEG₃-iPHTCl




Figure S1: COSY correlation spectrum of $\text{H}_2\text{PTEG}_3\text{OH}$




Figure S2: t-ROESY correlation spectrum of $\text{H}_2\text{PTEG}_3\text{OH}$




Figure S3: COSY correlation spectrum of $\text{H}_2\text{PTEG}_3\text{-iPHTCl}$




Figure S4: t-ROESY correlation spectrum of $\text{H}_2\text{PTEG}_3\text{-iPHTCl}$