

Synthesis of 3-benzylisoquinolines by domino imination/cycloisomerisation of 2-propargylbenzaldehydes

Monica Dell'Acqua,^{a*} Valentina Pirovano,^a Giorgio Confalonieri,^a
Antonio Arcadi,^b Elisabetta Rossi^a and Giorgio Abbiati^{a*}



^aDipartimento di Scienze Farmaceutiche – Sezione di Chimica Generale e Organica “A. Marchesini”,
Università degli Studi di Milano, via G. Venezian, 2 – 20133 Milano, Italy.


^bDipartimento di Scienze Fisiche e Chimiche, Via Vetoio – 67010 L'Aquila, Italy.

E-mail: monica.dellacqua@unimi.it, giorgio.abbiati@unimi.it



Supporting Information

¹ H NMR and ¹³ C NMR spectra of propargyl alcohol 1d .	p. S2
¹ H NMR and ¹³ C NMR spectra of propargyl alcohol 1e .	p. S3
¹ H NMR and ¹³ C NMR spectra of propargyl alcohol 1f .	p. S4
¹ H NMR and ¹³ C NMR spectra of propargyl alcohol 1g .	p. S5
¹ H NMR and ¹³ C NMR spectra of propargyl alcohol 1h .	p. S6
¹ H NMR and ¹³ C NMR spectra of propargyl bromide 2d .	p. S7
¹ H NMR and ¹³ C NMR spectra of propargyl bromide 2e .	p. S8
¹ H NMR and ¹³ C NMR spectra of propargyl bromide 2f .	p. S9
¹ H NMR and ¹³ C NMR spectra of propargyl bromide 2g .	p. S10
¹ H NMR and ¹³ C NMR spectra of propargyl bromide 2h .	p. S11
¹ H NMR and ¹³ C NMR spectra of 2-(2-bromo-5-fluorophenyl)-1,3-dioxolane	p. S12
¹ H NMR and ¹³ C NMR spectra of 2-propargyl benzaldehyde 4b .	p. S13
¹ H NMR and ¹³ C NMR spectra of 2-propargyl benzaldehyde 4d .	p. S14
¹ H NMR and ¹³ C NMR spectra of 2-propargyl benzaldehyde 4e .	p. S15
¹ H NMR and ¹³ C NMR spectra of 2-propargyl benzaldehyde 4f .	p. S16
¹ H NMR and ¹³ C NMR spectra of 2-propargyl benzaldehyde 4g .	p. S17
¹ H NMR and ¹³ C NMR spectra of 2-propargyl benzaldehyde 4h .	p. S18
¹ H NMR and ¹³ C NMR spectra of 2-propargyl benzaldehyde 4i .	p. S19
¹ H NMR and ¹³ C NMR spectra of 3-benzyl isoquinoline 5a .	p. S20
¹ H NMR and ¹³ C NMR spectra of 3-benzyl isoquinoline 5b .	p. S21
¹ H NMR and ¹³ C NMR spectra of 3-benzyl isoquinoline 5c .	p. S22
¹ H NMR and ¹³ C NMR spectra of 3-benzyl isoquinoline 5d .	p. S23
¹ H NMR and ¹³ C NMR spectra of 3-benzyl isoquinoline 5e .	p. S24
¹ H NMR and ¹³ C NMR spectra of 3-benzyl isoquinoline 5f .	p. S25
¹ H NMR and ¹³ C NMR spectra of 3-benzyl isoquinoline 5g .	p. S26
¹ H NMR and ¹³ C NMR spectra of 3-benzyl isoquinoline 5h .	p. S27
¹ H NMR and ¹³ C NMR spectra of 3-benzyl isoquinoline 5i .	p. S28









1e



1e










1g



CDCl₃, 200 MHz







1g



CDCl₃, 50.3 MHz
















2g

CDCl₃, 200 MHz



2g

CDCl₃, 50.3 MHz

