## SUPPORTING INFORMATION

## Multi-substituted 8-Aminoimidazo[1,2-a]pyrazines by Groebke-Blackburn-Bienaymé Reaction and Their Hsp90 Inhibitory Activity

Jing Ren, <sup>1,#</sup> Min Yang, <sup>2,#</sup> Hongchun Liu, <sup>3</sup> Danyan Cao, <sup>1</sup> Danqi Chen, <sup>1</sup> Jian Li, <sup>2</sup> Le Tang, <sup>1</sup>

Jianhua He, <sup>2</sup> Yue-Lei Chen, <sup>1,\*</sup> Meiyu Geng, <sup>3</sup> Bing Xiong, <sup>1,\*</sup> and Jingkang Shen<sup>1,\*</sup>

<sup>1</sup> Medicinal Chemistry Department, Shanghai Institute of Materia Medica, Chinese Academy of Sciences, 555 Zuchongzhi Road, Shanghai 201203, P. R. China.

<sup>2</sup> Shanghai Institute of Applied Physics, Chinese Academy of Sciences, 239 Zhang Heng Road, Shanghai 201203, P. R. China.

<sup>3</sup> Division of Antitumor Pharmacology, Shanghai Institute of Materia Medica, Chinese Academy of Sciences, 555 Zuchongzhi Road, Shanghai 201203, P. R. China.

E-mail: bxiong@simm.ac.cn

<sup>1</sup>H and <sup>13</sup>C NMR Spectrum of compounds

2-22









































