

Electronic Supplementary Information


A versatile Tb(III) complex for picosecond filamentation, transparent thin film, and supramolecular gel

Yi-Min Zhu,^a Ming-Yuan Xie,^b Rui Zhang,^b Yang-Yi Yang,^{*a} Cheng-Hui Zeng,^a
Fu-Li Zhao,^{*b} Ye-Xiang Tong,^a Cheng-Yong Su^a and Wing-Tak Wong^c

^a MOE Key Laboratory of Bioinorganic and Synthetic Chemistry, KLGHEI of Environment and Energy Chemistry, School of Chemistry and Chemical Engineering, Sun Yat-Sen University, Guangzhou, 510275, P. R. China. E-mail: cesyyy@mail.sysu.edu.cn

^b School of Physics and Engineering, Sun Yat-Sen University, Guangzhou, 510275, P. R. China. E-mail: stszfl@mail.sysu.edu.cn

^c Department of Applied Biology and Chemical Technology, The Hong Kong Polytechnic University, P. R. China.



Scheme S1 Diagram of the TPA experiment setup.




Fig. S1 IR spectrum of 1 in powder.




Fig. S2 UV-vis absorption spectra of **1** in thin film (A), 5×10^{-6} M methanol solution (B), and powder (C).