

Pyrroloindacenodithiophene Polymers: The Effect of Molecular Structure on OFET Performance

Jenny E. Donaghey,^{*a} Eun-Ho Sohn,^{a, b} Raja Shahid Ashraf,^a Thomas D. Anthopoulos,^c Scott E. Watkins,^d Kigook Song,^e Charlotte K. Williams,^a Iain McCulloch^a

^a*Department of Chemistry and Centre for Plastic Electronics, Imperial College London, London SW7 2AZ, UK.
E-mail: jenny.donaghey@imperial.ac.uk.*

^b*Interface Materials and Engineering Laboratory, Korea Research Institute of Chemical Technology, Daejeon 305-343, Republic of Korea*

^c*Department of Physics and Centre for Plastic Electronics, Imperial College London, London SW7 2AZ, UK*

^d*CSIRO Materials Science and Engineering, VIC 3169, Victoria, Australia*

^e*Materials Research Center for Information Display, Kyung Hee University, Yongin, Gyeonggi-do 446-701, Republic of Korea*

Supporting Information

DSC data

Energy level DFT calculations

Transistor output curves

DSC Data








Figure S1 DSC of a) NIDT-T, b) NIDT-TT, c) NIDT-TPD and b) NIDT-DPP from 25-300 °C

Density Functional Theory Energy Level Calculations



a) NIDT-T





b) NIDT-TT



c) NIDT-TPD



d) NIDT-DPP



Transistor Output Curves




Figure S2 OFET output curves for a) NIDT-T, b) NIDT-TT, c) NIDT-TPD and d) NIDT-DPP