

Constructing Hybrid Porous Polymers from Cubic Octavinylsilsequioxane and Planar Halogenated Benzene

Dengxu Wang^{a,b}, Wenyan Yang^b, Shengyu Feng^{*a,b} and Hongzhi Liu^{*b}

^a National Engineering Research Center for Colloidal Materials, ^b Key Laboratory of Special Functional Aggregated Material, Ministry of Education, School of Chemistry and Chemical Engineering, Jinan 250100, P. R. China

*Corresponding Authors. Tel: +86 531 88364866. Fax: +86 531 88564464. E-mail:

fsy@sdu.edu.cn; liuhongzhi@sdu.edu.cn.

Table of contents:

Fig. S1. Energy dispersive X-ray spectra of HPP-1 to HPP-3

Fig. S2. BET plots of HPP-1a (top, $r = 0.999951$, $C = 249.68$), HPP-1b (middle, $r = 0.999977$, $C = 118.96$) and HPP-1c (bottom, $r = 0.999947$, $C = 215.32$)

Fig. S3. BET plots of HPP-2a (top, $r = 0.999963$, $C = 166.52$), HPP-2b (middle, $r = 0.999925$, $C = 338.44$) and HPP-2c (bottom, $r = 0.999927$, $C = 357.36$)

Fig. S4. BET plots of HPP-3 ($r = 0.999939$, $C = 132.11$)

Fig. S5. TGA curves of OVS and HPP-1~HPP-3 under N_2 at $10\text{ }^\circ\text{C min}^{-1}$

Fig. S6. The XRD pattern of HPP-1 to HPP-3

Fig. S7. FE-SEM images of a) HPP-1b, b) HPP-1c, c) HPP-2a, d) HPP-2b, e) HPP-2c and f) HPP-3




Fig. S1. Energy dispersive spectroscopy of HPP-1 to HPP-3




Fig. S2. BET plots of HPP-1a (top, $r = 0.999951$, $C = 249.68$), HPP-1b (middle, $r = 0.999977$, $C = 118.96$), HPP-1c (bottom, $r = 0.999947$, $C = 215.32$)




Fig. S3. BET plots of HPP-2a (top, $r = 0.999963$, $C = 166.52$), HPP-2b (middle, $r = 0.999925$, $C = 338.44$), HPP-2c (bottom, $r = 0.999927$, $C = 357.36$).




Fig. S4. BET plot of HPP-3 ($r = 0.999939$, $C = 132.11$)




Fig. S5. TGA curves of OVS and HPP-1~HPP-3 under N₂ at 10 °C min⁻¹




Fig. S6. The XRD pattern of HPP-1 to HPP-3




Fig. S7. FE-SEM images of a) HPP-1b, b) HPP-1c, c) HPP-2a, d) HPP-2b, e) HPP-2c and f) HPP-