Electronic Supplementary Material (ESI) for Polymer Chemistry. This journal is © The Royal Society of Chemistry 2014

Supporting Information

Thiol-reactive Functional Poly(meth)acrylates: Multicomponent Monomer

Synthesis, RAFT (Co)polymerization and Highly Efficient Thiol-para-

Fluoro Postpolymerization Modification

Janina-Miriam Noy,[‡] Miriam Koldevitz,[‡] Peter J. Roth*

Centre for Advanced Macromolecular Design (CAMD), School of Chemical Engineering,

University of New South Wales, UNSW Sydney NSW 2052, Australia

*corresponding author, email address: P.Roth@unsw.edu.au

Monomer Synthesis: NMR spectra



¹H, ¹³C, ¹⁹F NMR spectra of *t*Bu-MA-PFP



¹H, ¹³C, ¹⁹F NMR spectra of **cHex-MA-PFP**



¹H, ¹³C, ¹⁹F NMR spectra of **iPr-MA-PFP**



¹H, ¹³C, ¹⁹F NMR spectra of **EE-MA-PFP**





¹H, ¹³C, ¹⁹F NMR spectra of **Tos-MA-PFP**



¹H, ¹³C, ¹⁹F NMR spectra of **cHex-A-PFP**