

## Supplementary Information

### Dual role of ionic liquids as phase transfer catalyst and solvent for glycosidation reactions

Vineet Kumar<sup>#</sup>, Ian Jamie Talisman<sup>#</sup>, Omar Bukhari, Jacqueline Razzaghy, and Sanjay V. Malhotra<sup>\*</sup>

*Laboratory of Synthetic Chemistry, SAIC-Frederick Inc., National Cancer Institute at Frederick, 1050 Boyles Street, Frederick, MD-21702.*

### Supplementary Experimental

**General methods:** TLCs were run on pre-coated Merck silica gel 60F254 plates and observed by charring with 3.5% H<sub>2</sub>SO<sub>4</sub>/1% AcOH/2.5% *p*-anisaldehyde/EtOH and with UV light. The products were isolated and purified using a Teledyne ISCO Rf flash chromatography system with hexanes and ethyl acetate as eluents. For verification of the product and purity analysis, the LC-MS was taken on an Agilent 1200 series system with an Agilent 6210 Time-Of-Flight (TOF) mass detector. The <sup>1</sup>H (400 MHz), <sup>13</sup>C (101 MHz), gCOSY and gHSQC NMR spectra were taken on a Varian 400MR spectrometer. Chemical shifts ( $\delta$ ) are expressed in ppm, coupling constants ( $J$ ) are expressed in Hz, and splitting patterns are described as follows: s = singlet; d = doublet; t = triplet; q = quartet; q<sub>AB</sub> = AB quartet; quintet; sextet; septet; br = broad; m = multiplet; dd = doublet of

---

<sup>#</sup> Both authors have equal contribution in this work.

<sup>\*</sup> Corresponding author: email: [malhotrasa@mail.nih.gov](mailto:malhotrasa@mail.nih.gov); Phone: +1-301-846-5141;  
Fax: +1-91-301-846-5206

doublets; dt = doublet of triplets; td = triplet of doublets; ddd = doublet of doublet of doublets. 1-Hydroxyhexyl-3-methylimidazolium bis(triflic)imide ( $\text{HOHxMIm.TF}_2\text{N}$ ) was synthesized following the literature protocol.<sup>1</sup> 1-Hydroxyhexyl-3-methylimidazolium hexafluorophosphate ( $\text{HOHxMIm.PF}_6$ ) was synthesized as described below. All other ionic liquids used in this study were purchased from Merck KgaA (EMD Chemicals), Darmstadt, Germany. 1-Butyl-3-methyl imidazolium chloride (B<sup>+</sup>M<sup>-</sup>Cl) and all other chemicals were purchased from Sigma-Aldrich Co. and used without any further purification. The spectral characteristics of previously reported compounds **2**, **3**, **4**, **6**, **7**, **11**, **13**, **16**, **37** and RTIL HOHxMIm.TF<sub>2</sub>N were analyzed and determined to be consistent with literature values.

### Spectral data of **5**, **8-10**, **12**, **14**, **15**, **17-36**, **38-41**

(2'-Formylphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**5**): <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>)  $\delta$  10.37 (d, *J* = 0.8 Hz, 1H), 7.87 (dd, *J* = 7.7, 1.8 Hz, 1H), 7.57 (ddd, *J* = 8.4, 7.4, 1.8 Hz, 1H), 7.21 – 7.16 (m, 1H), 7.15 – 7.12 (m, 1H), 5.60 (dd, *J* = 10.5, 7.9 Hz, 1H, H2), 5.49 (dd, *J* = 3.4, 0.9 Hz, 1H, H4), 5.18 – 5.13 (m, 2H, H1 and H3), 4.25 (dd, *J* = 11.1, 6.9 Hz, 1H, H6a), 4.19 – 4.11 (m, 2H, H5 and H6b), 2.21 (s, 3H), 2.07 (s, 6H), 2.03 (s, 3H). <sup>13</sup>C NMR (101 MHz, CDCl<sub>3</sub>)  $\delta$  189.37, 170.41, 170.29, 170.18, 169.42, 158.92, 135.80, 128.42, 126.28, 123.63, 115.89, 99.63 (C1), 71.41 (C5), 70.72 (C3), 68.49 (C2), 66.85 (C4), 61.39 (C6), 20.80, 20.77, 20.75, 20.68. LC-MS (ESI-TOF): *m/z* [M+Na]<sup>+</sup> calcd for C<sub>21</sub>H<sub>24</sub>O<sub>11</sub> + Na: 475.1211; found 475.1215.

(3'-Bromophenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**8**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.23 – 7.19 (m, 2H), 7.16 (t,  $J$  = 8.0 Hz, 1H), 6.94 (ddd,  $J$  = 8.0, 2.4, 1.2 Hz, 1H), 5.51 – 5.45 (m, 2H, H2, H4), 5.11 (dd,  $J$  = 10.4, 3.4 Hz, 1H, H3), 5.03 (d,  $J$  = 7.9 Hz, 1H, H1), 4.25 – 4.06 (m, 3H, H5, H6a, and H6b), 2.19 (s, 3H), 2.10 (s, 3H), 2.08 (s, 3H), 2.02 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.56, 170.32, 170.18, 169.45, 157.57, 130.81, 126.52, 122.81, 120.20, 116.08, 99.53 (C1), 71.44 (C5), 70.88 (C3), 68.62 (C2), 67.05 (C4), 61.76 (C6), 20.85, 20.84, 20.78, 20.70. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{20}\text{H}_{23}\text{BrO}_{10} + \text{Na}$ : 525.0367; found 525.0371.

(3'-Chlorophenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**9**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.22 (t,  $J$  = 8.1 Hz, 1H), 7.09 – 7.03 (m, 2H), 6.89 (ddd,  $J$  = 8.3, 2.4, 0.9 Hz, 1H), 5.51 – 5.45 (m, 2H, H2 and H4), 5.11 (dd,  $J$  = 10.4, 3.4 Hz, 1H, H3), 5.03 (d,  $J$  = 7.9 Hz, 1H, H1), 4.26 – 4.06 (m, 3H, H5, H6a, and H6b), 2.19 (s, 3H), 2.09 (s, 3H), 2.08 (s, 3H), 2.02 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.56, 170.32, 170.20, 169.46, 157.56, 135.01, 130.50, 123.60, 117.35, 115.59, 99.57 (C1), 71.44 (C5), 70.90 (C3), 68.63 (C2), 67.04 (C4), 61.73 (C6), 20.86, 20.80, 20.79, 20.71. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{20}\text{H}_{23}\text{ClO}_{10} + \text{Na}$ : 481.0872; found 481.0876.

(3'-Methoxyphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**10**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.19 (t,  $J$  = 8.2 Hz, 1H), 6.66 – 6.56 (m, 3H), 5.48 (dd,  $J$  = 10.5, 8.0 Hz, 1H, H2)), 5.46 – 5.45 (m, 1H, H4), 5.11 (dd,  $J$  = 10.4, 3.4 Hz, 1H, H3), 5.04 (d,  $J$  = 8.0 Hz, 1H, H1), 4.22 (dd,  $J$  = 11.3, 7.1 Hz, 1H, H6a), 4.17 (dd,  $J$  = 11.3, 6.1 Hz, 1H, H6b), 4.09 – 4.03 (m, 1H, H5), 3.78 (s, 3H), 2.18 (s, 3H), 2.07 (s, 3H), 2.06 (s, 3H), 2.01 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.51, 170.37, 170.24, 169.53, 160.89, 158.18, 130.12, 109.01, 108.69, 103.69, 99.67 (C1), 71.21 (C5), 70.99 (C3), 68.76 (C2), 67.04 (C4), 61.56 (C6), 55.50, 20.88, 20.80, 20.75, 20.72. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{21}\text{H}_{26}\text{O}_{11} + \text{Na}$ : 477.1367; found 477.1373.

(4'-Chlorophenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**12**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.26 (d,  $J$  = 9.0 Hz, 2H), 6.94 (d,  $J$  = 9.0 Hz, 2H), 5.50 – 5.44 (m, 2H, H2 and H4), 5.11 (dd,  $J$  = 10.4, 3.4 Hz, 1H, H3), 5.00 (d,  $J$  = 7.9 Hz, 1H, H1), 4.25 – 4.09 (m, 2H, H6a and H6b), 4.08 – 4.02 (m, 1H, H5), 2.18 (s, 3H), 2.07 (s, 3H), 2.06 (s, 3H), 2.01 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.43, 170.31, 170.20, 169.44, 155.54, 129.63 (2 C's), 128.57, 118.49 (2 C's), 99.88 (C1), 71.24 (C5), 70.87 (C3), 68.69 (C2), 66.94 (C4), 61.46 (C6), 20.84, 20.77 (2 C's), 20.69. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{20}\text{H}_{23}\text{ClO}_{10} + \text{Na}$ : 481.0872; found 481.0879.

(4'-Iodophenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**14**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.59 (d,  $J$  = 8.9 Hz, 2H), 6.78 (d,  $J$  = 9.0 Hz, 2H), 5.50 – 5.44 (m,

2H, H2 and H4), 5.10 (dd,  $J$  = 10.4, 3.4 Hz, 1H, H3), 5.00 (d,  $J$  = 7.9 Hz, 1H, H1), 4.24 – 4.03 (m, 3H, H5, H6a, and H6b), 2.18 (s, 3H), 2.07 – 2.06 (m,  $J$  = 1.0 Hz, 6H), 2.01 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.43, 170.30, 170.20, 169.43, 156.86, 138.60 (2 C's), 119.33 (2 C's), 99.63 (C1), 71.26 (C5), 70.86 (C3), 68.67 (C2), 66.93 (C4), 61.47 (C6), 20.84, 20.79, 20.78, 20.70. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{20}\text{H}_{23}\text{IO}_{10}$  + Na: 573.0228; found 573.0224.

(4'-Phenylphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**15**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.56 – 7.50 (m, 4H), 7.45 – 7.40 (m, 2H), 7.33 (ddd,  $J$  = 7.3, 3.9, 1.2 Hz, 1H), 7.08 (d,  $J$  = 8.8 Hz, 2H), 5.52 (dd,  $J$  = 10.5, 7.9 Hz, 1H, H2), 5.47 (dd,  $J$  = 3.4, 0.8 Hz, 1H, H4), 5.13 (dd,  $J$  = 10.4, 3.4 Hz, 1H, H3), 5.09 (d,  $J$  = 8.0 Hz, 1H, H1), 4.25 (dd,  $J$  = 11.3, 7.0 Hz, 1H, H6a), 4.18 (dd,  $J$  = 11.3, 6.3 Hz, 1H, H6b), 4.11 – 4.07 (m, 1H, H5), 2.19 (s, 3H), 2.09 (s, 3H), 2.07 (s, 3H), 2.02 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.48, 170.38, 170.26, 169.53, 156.54, 140.54, 136.63, 128.92 (2 C's), 128.40 (2 C's), 127.22, 127.02 (2 C's), 117.32, 99.81 (C1), 71.19 (C5), 70.99 (C3), 68.80 (C2), 67.02 (C4), 61.51 (C6), 20.89, 20.81 (2 C's), 20.73. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{26}\text{H}_{28}\text{O}_{10}$  + Na: 523.1575; found 523.1581.

(4'-Ethylphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**17**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.12 (d,  $J$  = 8.1 Hz, 2H), 6.92 (d,  $J$  = 8.2 Hz, 2H), 5.52 – 5.43 (m, 2H, H2 and H4), 5.10 (dd,  $J$  = 10.4, 3.3 Hz, 1H, H3), 5.00 (d,  $J$  = 8.0 Hz, 1H, H1), 4.23 (dd,  $J$  = 11.3, 7.0 Hz, 1H, H6a), 4.16 (dd,  $J$  = 11.2, 6.4 Hz, 1H, H6b), 4.04

(apparent t,  $J = 6.6$  Hz, 1H, H5), 2.61 (q,  $J = 7.6$  Hz, 2H), 2.18 (s, 3H), 2.06 (s, 6H), 2.01 (s, 3H), 1.21 (t,  $J = 7.6$  Hz, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.49, 170.40, 170.28, 169.53, 155.19, 139.43, 128.95 (2 C's), 117.09 (2 C's), 100.17 (C1), 71.07 (C5), 71.02 (C3), 68.85 (C2), 67.04 (C4), 61.49 (C6), 28.21, 20.87, 20.80 (2 C's), 20.73, 15.90. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{22}\text{H}_{28}\text{O}_{10}$  + Na: 475.1575; found 475.1579.

(4'-Propylphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**18**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.09 (d,  $J = 8.7$  Hz, 2H), 6.92 (d,  $J = 8.6$  Hz, 2H), 5.50 – 5.44 (m, 2H, H2 and H4), 5.10 (dd,  $J = 10.5$ , 3.4 Hz, 1H, H3), 5.00 (d,  $J = 8.0$  Hz, 1H, H1), 4.23 (dd,  $J = 11.3$ , 6.9 Hz, 1H, H6a), 4.16 (dd,  $J = 11.3$ , 6.4 Hz, 1H, H6b), 4.07 – 4.02 (m, 1H, H5), 2.58 – 2.51 (m, 2H), 2.18 (s, 3H), 2.07 (s, 3H), 2.06 (s, 3H), 2.01 (s, 3H), 1.66 – 1.55 (m, 2H), 0.93 (t,  $J = 7.3$  Hz, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.48, 170.39, 170.26, 169.52, 155.19, 137.84, 129.54 (2 C's), 116.98 (2 C's), 100.14 (C1), 71.06 (C5), 71.02 (C3), 68.85 (C2), 67.04 (C4), 61.49 (C6), 37.34, 24.81, 20.88, 20.80, 20.79, 20.73, 13.88. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{23}\text{H}_{30}\text{O}_{10}$  + Na: 489.1731; found 489.1737.

(4'-sec-Butylphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**19**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.09 (d,  $J = 8.6$  Hz, 2H), 6.93 (d,  $J = 8.7$  Hz, 2H), 5.50 – 5.44 (m, 2H, H2 and H4), 5.10 (dd,  $J = 10.4$ , 3.4 Hz, 1H, H3), 5.01 (d,  $J = 8.0$  Hz, 1H, H1), 4.23 (dd,  $J = 11.3$ , 6.9 Hz, 1H, H6a), 4.16 (dd,  $J = 11.4$ , 6.4 Hz, 1H, H6b), 4.04 (ddd,  $J = 6.8$ , 1.0 Hz, 1H, H5), 2.56 (h,  $J = 7.0$  Hz, 1H), 2.18 (s, 3H), 2.07 (s,

3H), 2.06 (s, 3H), 2.01 (s, 3H), 1.56 (p,  $J = 7.3$  Hz, 2H), 1.21 (d,  $J = 7.0$  Hz, 3H), 0.81 (t,  $J = 7.4$  Hz, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.49, 170.40, 170.28, 169.54, 155.19, 142.81, 128.11 (2 C's), 116.95 (2 C's), 100.07 (C1), 71.06 (C5), 71.04 (C3), 68.86 (C2), 67.05 (C4), 61.50 (C6), 41.08, 31.38, 22.09, 20.89, 20.81 (2 C's), 20.73, 12.33. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{24}\text{H}_{32}\text{O}_{10} + \text{Na}$ : 503.1888; found 503.1892.

(4'-Butoxyphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**20**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  6.94 (d,  $J = 9.1$  Hz, 2H), 6.81 (d,  $J = 9.1$  Hz, 2H), 5.49 – 5.43 (m, 2H, H2 and H4), 5.09 (dd,  $J = 10.5, 3.4$  Hz, 1H, H3), 4.91 (d,  $J = 8.0$  Hz, 1H, H1), 4.23 (dd,  $J = 11.3, 6.9$  Hz, 1H, H6a), 4.16 (dd,  $J = 11.3, 6.5$  Hz, 1H, H6b), 4.01 (ddd,  $J = 6.7, 1.0$  Hz, 1H, H5), 3.92 (t,  $J = 6.5$  Hz, 2H), 2.18 (s, 3H), 2.08 (s, 3H), 2.06 (s, 3H), 2.01 (s, 3H), 1.79 – 1.70 (m, 2H), 1.53 – 1.43 (m, 2H), 0.97 (t,  $J = 7.4$  Hz, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.47, 170.39, 170.26, 169.52, 155.47, 151.03, 118.72 (2 C's), 115.33 (2 C's), 101.02 (C1), 71.04 (C5), 71.02 (C3), 68.90 (C2), 68.32, 67.04 (C4), 61.45 (C6), 31.47, 20.90, 20.81, 20.80, 20.73, 19.36, 13.97. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{24}\text{H}_{32}\text{O}_{11} + \text{Na}$ : 519.1837; found 519.1839.

(4'-Phenoxyphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**21**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.36 – 7.29 (m, 2H), 7.11 – 7.05 (m, 1H), 7.02 – 6.93 (m, 6H), 5.50 – 5.45 (m, 2H, H2 and H4), 5.11 (dd,  $J = 10.5, 3.4$  Hz, 1H, H3), 4.99 (d,  $J = 8.0$  Hz, 1H, H2), 4.24 (dd,  $J = 11.3, 7.0$  Hz, 1H, H6a), 4.16 (dd,  $J = 11.3, 6.3$

Hz, 1H, H6b), 4.07 – 4.01 (m, 1H, H5), 2.19 (s, 3H), 2.09 (s, 3H), 2.05 (s, 3H), 2.02 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.47, 170.36, 170.25, 169.50, 157.91, 153.01, 152.77, 129.85 (2 C's), 123.10, 120.45 (2 C's), 118.65 (2 C's), 118.28 (2 C's), 100.47 (C1), 71.16 (C5), 70.97 (C3), 68.82 (C2), 67.01 (C4), 61.48 (C6), 20.89, 20.80, 20.79, 20.72. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{26}\text{H}_{28}\text{O}_{11} + \text{Na}$ : 539.1524; found 539.1528.

(4'-Benzylxyloxyphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**22**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.45 – 7.30 (m, 5H), 6.97 – 6.93 (m, 2H), 6.92 – 6.87 (m, 2H), 5.49 – 5.43 (m, 2H, H2 and H4), 5.09 (dd,  $J = 10.5, 3.4$  Hz, 1H, H3), 5.03 (s, 2H), 4.92 (d,  $J = 8.0$  Hz, 1H, H1), 4.23 (dd,  $J = 11.3, 6.9$  Hz, 1H, H6a), 4.16 (dd,  $J = 11.3, 6.5$  Hz, 1H, H6b), 4.01 (apparent td,  $J = 6.7, 1.0$  Hz, 1H, H5), 2.18 (s, 3H), 2.08 (s, 3H), 2.05 (s, 3H), 2.01 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.47, 170.38, 170.26, 169.51, 155.04, 151.32, 137.08, 128.72 (2 C's), 128.12, 127.57 (2 C's), 118.72 (2 C's), 115.79 (2 C's), 100.90 (C1), 71.06 (C5), 71.01 (C3), 70.66, 68.88 (C2), 67.03 (C4), 61.45 (C6), 20.90, 20.81, 20.79, 20.73. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{27}\text{H}_{30}\text{O}_{11} + \text{Na}$ : 553.1680; found 553.1681.

(4'-N-Acetylphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**23**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.42 (d,  $J = 9.0$  Hz, 2H), 7.35 (s, 1H), 6.96 (d,  $J = 9.0$  Hz, 2H), 5.50 – 5.44 (m, 2H, H2 and H4), 5.10 (dd,  $J = 10.5, 3.4$  Hz, 1H, H3), 4.98 (d,  $J = 8.0$  Hz, 1H, H1), 4.22 (dd,  $J = 11.3, 7.0$  Hz, 1H, H6a), 4.16 (dd,  $J = 11.3, 6.3$

Hz, 1H, H6b), 4.04 (apparent t,  $J$  = 6.6 Hz, 1H, H5), 2.18 (s, 3H), 2.16 (s, 3H), 2.08 (s, 3H), 2.06 (s, 3H), 2.01 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.52, 170.38, 170.26, 169.57, 168.44, 153.67, 133.53, 121.68 (2 C's), 117.72 (2 C's), 100.22 (C1), 71.13 (C5), 70.92 (C3), 68.75 (C2), 66.99 (C4), 61.47 (C6), 24.52, 20.89, 20.81, 20.80, 20.73. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{22}\text{H}_{27}\text{NO}_{11}$  + Na: 504.1476; found 504.1475.

(3',5'-Dichlorophenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**24**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.09 (t,  $J$  = 1.8 Hz, 1H), 6.93 (d,  $J$  = 1.8 Hz, 2H), 5.50 – 5.43 (m, 2H, H2 and H4), 5.11 (dd,  $J$  = 10.4, 3.4 Hz, 1H, H3), 5.02 (d,  $J$  = 7.9 Hz, 1H, H1), 4.23 – 4.08 (m, 3H, H5, H6a, and H6b), 2.19 (s, 3H), 2.11 (s, 3H), 2.08 (s, 3H), 2.02 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.58, 170.27, 170.14, 169.39, 157.66, 135.57 (2 C's), 123.67, 116.03 (2 C's), 99.34 (C1), 71.69 (C5), 70.80 (C3), 68.46 (C2), 67.03 (C4), 61.90 (C6), 20.85, 20.79, 20.76, 20.68. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{20}\text{H}_{22}\text{Cl}_2\text{O}_{10}$  + Na: 515.0482; found 515.0487.

(4'-Methoxy-2'-nitrophenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**25**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.33 (d,  $J$  = 9.2 Hz, 1H), 7.29 (d,  $J$  = 3.1 Hz, 1H), 7.05 (dd,  $J$  = 9.2, 3.1 Hz, 1H), 5.50 (dd,  $J$  = 10.5, 8.0 Hz, 1H, H2), 5.45 (dd,  $J$  = 3.4, 0.7 Hz, 1H, H4), 5.09 (dd,  $J$  = 10.5, 3.4 Hz, 1H, H3), 4.96 (d,  $J$  = 8.0 Hz, 1H, H1), 4.26 (dd,  $J$  = 11.3, 6.9 Hz, 1H, H6a), 4.15 (dd,  $J$  = 11.3, 6.3 Hz, 1H, H6b), 4.03 – 3.98 (m, 1H, H5), 3.84 (s, 3H), 2.19 (s, 3H), 2.15 (s, 3H), 2.06 (s, 3H), 2.01 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  170.43, 170.32, 170.23, 169.72,

155.78, 142.94, 142.22, 123.15, 120.08, 109.21, 101.75 (C1), 71.34 (C5), 70.71 (C3), 68.12 (C2), 66.88 (C4), 61.39 (C6), 56.18, 20.85, 20.80 (2 C's), 20.70. LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup> calcd for C<sub>21</sub>H<sub>25</sub>NO<sub>13</sub> + Na: 522.1218; found 522.1216.

(4'-Chloro-3'-methylphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**26**): <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 7.24 (d,  $J$  = 8.7 Hz, 1H), 6.89 (d,  $J$  = 2.8 Hz, 1H), 6.78 (dd,  $J$  = 8.7, 2.8 Hz, 1H), 5.49 – 5.44 (m, 2H, H2 and H4), 5.10 (dd,  $J$  = 10.5, 3.4 Hz, 1H, H3), 4.99 (d,  $J$  = 7.9 Hz, 1H, H1), 4.22 (dd,  $J$  = 11.3, 7.1 Hz, 1H, H6a), 4.16 (dd,  $J$  = 11.3, 6.1 Hz, 1H, H6b), 4.09 – 4.02 (m, 1H, H5), 2.34 (s, 3H), 2.18 (s, 3H), 2.07 (s, 3H), 2.06 (s, 3H), 2.01 (s, 3H). <sup>13</sup>C NMR (101 MHz, CDCl<sub>3</sub>) δ 170.45, 170.34, 170.22, 169.47, 155.46, 137.50, 129.87, 128.73, 119.69, 115.68, 99.88 (C1), 71.25 (C5), 70.91 (C3), 68.74 (C2), 67.00 (C4), 61.59 (C6), 20.87, 20.79 (2 C's), 20.71, 20.45. LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup> calcd for C<sub>21</sub>H<sub>25</sub>ClO<sub>10</sub> + Na: 495.1028; found 495.1030.

(3',5'-Dimethylphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**27**): <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 6.19 (s, 3H), 5.47 (dd,  $J$  = 8.2, 5.8 Hz, 1H), 5.49 – 5.45 (m, 1H, H2 and H4), 5.11 (dd,  $J$  = 10.4, 3.4 Hz, 1H, H3), 5.03 (d,  $J$  = 8.0 Hz, 1H, H1), 4.25 – 4.14 (m, 2H, H6a and H6b), 4.06 (apparent t,  $J$  = 6.6 Hz, 1H, H5), 3.76 (s, 6H), 2.18 (s, 3H), 2.07 (s, 3H), 2.07 (s, 3H), 2.01 (s, 3H). <sup>13</sup>C NMR (101 MHz, CDCl<sub>3</sub>) δ 170.53, 170.35, 170.20, 169.55, 161.57 (2 C's), 158.75, 99.47 (C1), 95.82 (2 C's), 95.12, 71.27 (C5), 70.98 (C3), 68.71 (C2), 67.06 (C4), 61.63

(C6), 55.55 (2 C's), 20.88, 20.77, 20.70 (2 C's). LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup> calcd for C<sub>22</sub>H<sub>28</sub>O<sub>12</sub> + Na: 507.1473; found 507.1478.

(4'-Isopropylphenyl) 2,3,4,6-tetra-O-acetyl-1-thio-β-D-galactopyranoside (**28**): <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 7.44 (d, J = 8.3 Hz, 2H), 7.18 (d, J = 8.1 Hz, 2H), 5.41 (dd, J = 3.3, 1.0 Hz, 1H, H4), 5.23 (apparent t, J = 10.0 Hz, 1H, H2), 5.04 (dd, J = 10.0, 3.3 Hz, 1H, H3), 4.67 (d, J = 10.0 Hz, 1H, H1), 4.20 (dd, J = 11.3, 6.9 Hz, 1H, H6a), 4.14 – 4.07 (m, 1H, H6b), 3.96 – 3.89 (m, 1H, H5), 2.90 (sept, J = 7.1 Hz, 1H), 2.11 (s, 3H), 2.10 (s, 3H), 2.04 (s, 3H), 1.98 (s, 3H), 1.24 (d, J = 6.9 Hz, 6H). <sup>13</sup>C NMR (101 MHz, CDCl<sub>3</sub>) δ 170.51, 170.33, 170.21, 169.61, 149.48, 133.31 (2 C's), 129.17, 127.19 (2 C's), 87.13 (C1), 74.46 (C5), 72.18 (C3), 67.52 (C2), 67.36 (C4), 61.72 (C6), 33.97, 24.02 (2 C's), 21.02, 20.83, 20.78, 20.74. LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup> calcd for C<sub>23</sub>H<sub>30</sub>O<sub>9</sub>S + Na: 505.1503; found 505.1511.

(2'-Methoxyphenyl) 2,3,4,6-tetra-O-acetyl-1-thio-β-D-galactopyranoside (**29**): <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 7.50 (dd, J = 7.7, 1.7 Hz, 1H), 7.29 (ddd, J = 8.1, 7.4, 1.6 Hz, 1H), 6.92 (ddd, J = 7.6, 1.2 Hz, 1H), 6.88 (dd, J = 8.3, 1.1 Hz, 1H), 5.42 (dd, J = 3.4, 1.0 Hz, 1H, H4), 5.28 (apparent t, J = 10.0 Hz, 1H, H2), 5.07 (dd, J = 9.9, 3.4 Hz, 1H, H3), 4.82 (d, J = 10.0 Hz, 1H, H1), 4.17 (dd, J = 11.3, 7.0 Hz, 1H, H6a), 4.10 (dd, J = 11.3, 6.3 Hz, 1H, H6b), 3.97 – 3.91 (m, 1H, H5), 3.86 (s, 3H), 2.14 (s, 3H), 2.07 (s, 3H), 2.02 (s, 3H), 1.98 (s, 3H). <sup>13</sup>C NMR (101 MHz, CDCl<sub>3</sub>) δ 170.50, 170.39, 170.24, 169.61, 158.37, 133.16, 129.48, 121.13,

120.93, 111.16, 85.25 (C1), 74.49 (C5), 72.23 (C3), 67.56 (C2), 67.40 (C4),  
61.72 (C6), 55.91, 20.95, 20.81, 20.79, 20.73. LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup>  
calcd for C<sub>21</sub>H<sub>26</sub>O<sub>10</sub>S + Na: 493.1139; found 493.1141.

(3'-Chlorophenyl) 2,3,4,6-tetra-O-acetyl-1-thio-β-D-galactopyranoside (**30**): <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 7.56 (t,  $J$  = 1.7 Hz, 1H), 7.36 (dt,  $J$  = 7.4, 1.5 Hz, 1H), 7.31 – 7.27 (m, 1H), 7.25 (dd,  $J$  = 14.6, 6.9 Hz, 1H), 5.44 (dd,  $J$  = 3.3, 0.9 Hz, 1H, H4), 5.23 (apparent t,  $J$  = 10.0 Hz, 1H, H2), 5.06 (dd,  $J$  = 9.9, 3.3 Hz, 1H, H3), 4.73 (d,  $J$  = 10.0 Hz, 1H, H1), 4.19 (dd,  $J$  = 11.5, 7.2 Hz, 1H, H6a), 4.14 (dd,  $J$  = 11.5, 5.7 Hz, 1H, H6b), 3.98 (ddd,  $J$  = 7.0, 5.7, 1.0 Hz, 1H, H5), 2.14 (s, 3H), 2.09 (s, 3H), 2.07 (s, 3H), 1.98 (s, 3H). <sup>13</sup>C NMR (101 MHz, CDCl<sub>3</sub>) δ 170.59, 170.30, 170.13, 169.49, 134.67, 134.57, 131.85, 130.36, 129.97, 128.35, 86.19 (C1), 74.79 (C5), 72.04 (C3), 67.38 (C4), 67.13 (C2), 62.01 (C6), 20.94, 20.85, 20.78, 20.71. LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup> calcd for C<sub>20</sub>H<sub>23</sub>ClO<sub>9</sub>S + Na: 497.0644; found 497.0649.

(4'-Nitrophenyl) 2,3,4,6-tetra-O-acetyl-1-thio-β-D-galactopyranoside (**31**): <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.16 (d,  $J$  = 9.0 Hz, 2H), 7.61 (d,  $J$  = 9.0 Hz, 2H), 5.48 (dd,  $J$  = 3.3, 0.9 Hz, 1H, H4), 5.30 (apparent t,  $J$  = 10.0 Hz, 1H, H2), 5.11 (dd,  $J$  = 9.9, 3.3 Hz, 1H, H3), 4.87 (d,  $J$  = 10.0 Hz, 1H, H1), 4.21 (dd,  $J$  = 11.4, 7.2 Hz, 1H, H6a), 4.15 (dd,  $J$  = 11.4, 5.7 Hz, 1H, H6b), 4.05 (ddd,  $J$  = 6.9, 5.8, 0.9 Hz, 1H, H5), 2.16 (s, 3H), 2.09 (s, 3H), 2.08 (s, 3H), 1.99 (s, 3H). <sup>13</sup>C NMR (101 MHz, CDCl<sub>3</sub>) δ 170.41, 170.12, 170.05, 169.47, 146.97, 142.51, 130.54 (2 C's),

123.97 (2 C's), 84.97 (C1), 74.99 (C5), 71.85 (C3), 67.20 (C4), 66.85 (C2), 61.80 (C6), 20.87, 20.83, 20.78, 20.67. LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup> calcd for C<sub>20</sub>H<sub>23</sub>NO<sub>11</sub>S + Na: 508.0884; found 508.0888.

(2'-Naphthyl) 2,3,4,6-tetra-O-acetyl-1-thio-β-D-galactopyranoside (**32**): <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 8.02 (s, 1H), 7.84 – 7.77 (m, 3H), 7.58 (dd,  $J$  = 8.6, 1.6 Hz, 1H), 7.52 – 7.48 (m, 2H), 5.43 (apparent d,  $J$  = 3.3 Hz, 1H, H4), 5.28 (apparent t,  $J$  = 9.9 Hz, 1H, H2), 5.07 (dd,  $J$  = 10.0, 3.3 Hz, 1H, H3), 4.81 (d,  $J$  = 10.0 Hz, 1H, H1), 4.22 (dd,  $J$  = 11.4, 7.0 Hz, 1H, H6a), 4.13 (dd,  $J$  = 11.3, 6.0 Hz, 1H, H6b), 3.96 (apparent t,  $J$  = 6.5 Hz, 1H, H5), 2.13 (s, 3H), 2.07 (s, 3H), 2.01 (s, 3H), 1.97 (s, 3H). <sup>13</sup>C NMR (101 MHz, CDCl<sub>3</sub>) δ 170.50, 170.31, 170.17, 169.56, 133.56, 132.85, 132.05, 129.86, 129.70, 128.54, 127.82, 127.73, 126.77, 126.75, 86.74 (C1), 74.61, (C5), 72.11, (C3), 67.41 (C4), 67.35 (C2), 61.83 (C6), 21.01, 20.79, 20.72 (2 C's). LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup> calcd for C<sub>24</sub>H<sub>26</sub>O<sub>9</sub>S + Na: 513.1190; found 513.1186.

(4'-Methylphenyl) 2,3,4,6-tetra-O-acetyl-1-thio-β-D-galactopyranoside (**33**): <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 7.41 (d,  $J$  = 8.0 Hz, 2H), 7.13 (d,  $J$  = 8.1 Hz, 2H), 5.41 (apparent d,  $J$  = 3.3 Hz, 1H, H4), 5.22 (apparent t,  $J$  = 9.9 Hz, 1H, H2), 5.04 (dd,  $J$  = 10.0, 3.3 Hz, 1H, H3), 4.65 (d,  $J$  = 10.0 Hz, 1H, H1), 4.19 (dd,  $J$  = 11.3, 6.9 Hz, 1H, H6a), 4.11 (dd,  $J$  = 11.3, 6.3 Hz, 1H, H6b), 3.91 (apparent t,  $J$  = 6.6 Hz, 1H, H5), 2.35 (s, 3H), 2.12 (s, 3H), 2.10 (s, 3H), 2.05 (s, 3H), 1.97 (s, 3H). <sup>13</sup>C NMR (101 MHz, CDCl<sub>3</sub>) δ 170.48, 170.31, 170.18, 169.54, 138.57, 133.23 (2

C's), 129.74 (2 C's), 128.72, 87.07 (C1), 74.44 (C5), 72.12 (C3), 67.37 (C2), 67.30 (C4), 61.69 (C6), 21.28, 20.99, 20.80, 20.76, 20.72. LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup> calcd for C<sub>21</sub>H<sub>26</sub>O<sub>9</sub>S + Na: 477.1190; found 477.1198.

(4'-Aminophenyl) 2,3,4,6-tetra-O-acetyl-1-thio-β-D-galactopyranoside (**34**): <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 7.32 (d,  $J$  = 8.5 Hz, 2H), 6.61 (d,  $J$  = 8.5 Hz, 2H), 5.38 (dd,  $J$  = 3.3, 0.7 Hz, 1H, H4), 5.17 (apparent t,  $J$  = 9.9 Hz, 1H, H2), 5.02 (dd,  $J$  = 10.0, 3.3 Hz, 1H, H3), 4.52 (d,  $J$  = 9.9 Hz, 1H, H1), 4.17 (dd,  $J$  = 11.3, 6.8 Hz, 1H, H6a), 4.09 (dd,  $J$  = 11.8, 6.8 Hz, 1H, H6b), 3.87 (ddd,  $J$  = 6.6, 0.7 Hz, 1H, H5), 3.83 (s, 2H), 2.11 (s, 3H), 2.10 (s, 3H), 2.04 (s, 3H), 1.97 (s, 3H). <sup>13</sup>C NMR (101 MHz, CDCl<sub>3</sub>) δ 170.50, 170.35, 170.22, 169.55, 147.48, 136.24 (2 C's), 118.82, 115.19 (2 C's), 87.51 (C1), 74.29 (C5), 72.19 (C3), 67.43 (C4), 67.32 (C2), 61.61 (C6), 21.03, 20.80, 20.75, 20.72. LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup> calcd for C<sub>20</sub>H<sub>25</sub>NO<sub>9</sub>S + Na: 478.1142; found 478.1138.

(2'-Hydroxyphenyl) 2,3,4,6-tetra-O-acetyl-1-thio-β-D-galactopyranoside (**35**): <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 7.43 (d,  $J$  = 7.7 Hz, 1H), 7.33 (t,  $J$  = 7.8 Hz, 1H), 7.14 (s, 1H), 6.99 (d,  $J$  = 8.2 Hz, 1H), 6.87 (t,  $J$  = 7.5 Hz, 1H), 5.38 (apparent d,  $J$  = 3.3 Hz, 1H, H4), 5.22 (apparent t,  $J$  = 9.9 Hz, 1H, H2), 5.01 (dd,  $J$  = 9.9, 3.3 Hz, 1H, H3), 4.59 (d,  $J$  = 10.0 Hz, 1H, H1), 4.16 (dd,  $J$  = 11.5, 7.4 Hz, 1H, H6a), 4.08 (dd,  $J$  = 11.5, 5.5 Hz, 1H, H6b), 3.97 – 3.91 (m, 1H, H5), 2.15 (s, 3H), 2.10 (s, 3H), 2.07 (s, 3H), 1.98 (s, 3H). <sup>13</sup>C NMR (101 MHz, CDCl<sub>3</sub>) δ 170.57, 170.18, 170.08, 169.42, 158.62, 137.24, 132.51, 120.65, 116.26, 115.29, 87.66 (C1),

74.96 (C5), 71.89 (C3), 67.17 (2 C's, C2 and C4), 61.60 (C6), 20.96, 20.74, 20.67 (2 C's). LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup> calcd for C<sub>20</sub>H<sub>24</sub>O<sub>10</sub>S + Na: 479.0982; found 479.0986.

(2'-Cinnamoylphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**36**): <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 7.62 – 7.57 (m, 2H), 7.53 – 7.43 (m, 3H), 7.41 – 7.37 (m, 3H), 7.28 – 7.16 (m, 3H), 5.46 – 5.40 (m, 2H, H2 and H4), 5.06 (dd,  $J$  = 10.4, 3.5 Hz, 1H, H3), 5.04 (d,  $J$  = 7.9 Hz, 1H, H1), 4.24 (dd,  $J$  = 11.3, 7.0 Hz, 1H, H6a), 4.16 (dd,  $J$  = 11.3, 6.3 Hz, 1H, H6b), 4.07 – 4.03 (m, 1H, H5), 2.09 (s, 3H), 2.07 (s, 3H), 1.99 (s, 3H), 1.96 (s, 3H). <sup>13</sup>C NMR (101 MHz, CDCl<sub>3</sub>) δ 193.50, 170.44, 170.30, 170.18, 169.26, 154.79, 145.06, 134.97, 132.24, 131.81, 130.61, 129.72, 128.95 (2 C's), 128.74 (2 C's), 127.20, 123.91, 117.30, 100.73 (C1), 71.33 (C5), 70.95 (C3), 68.29 and 66.94 (C2 and C4), 61.43 (C6), 20.78, 20.77, 20.68, 20.65. LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup> calcd for C<sub>29</sub>H<sub>30</sub>O<sub>11</sub> + Na: 577.1680; found 577.1683.

(2'-(2''-Methoxycinnamoyl)phenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**38**): <sup>1</sup>H NMR (400 MHz, CDCl<sub>3</sub>) δ 7.85 (d,  $J$  = 16.2 Hz, 1H), 7.62 (dd,  $J$  = 7.7, 1.7 Hz, 1H), 7.49 (dd,  $J$  = 7.6, 1.7 Hz, 1H), 7.44 (ddd,  $J$  = 8.4, 7.4, 1.8 Hz, 1H), 7.36 (ddd,  $J$  = 8.4, 7.4, 1.7 Hz, 1H), 7.26 – 7.16 (m, 3H), 7.01 – 6.95 (m, 1H), 6.91 (d,  $J$  = 8.4 Hz, 1H), 5.48 – 5.41 (m, 2H, H2 and H4), 5.05 (dd,  $J$  = 10.5, 3.4 Hz, 1H, H3), 5.02 (d,  $J$  = 8.0 Hz, 1H, H1), 4.25 (dd,  $J$  = 11.3, 7.0 Hz, 1H, H6a), 4.16 (dd,  $J$  = 11.3, 6.2 Hz, 1H, H6b), 4.07 – 4.02 (m, 1H, H5), 3.87 (s, 3H), 2.12

(s, 3H), 2.08 (s, 3H), 2.00 (s, 3H), 1.96 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  193.95, 170.49, 170.35, 170.24, 169.33, 158.72, 154.82, 140.52, 132.15, 131.99, 131.97, 129.71, 129.04, 127.54, 123.94, 123.88, 120.82, 117.62, 111.22, 100.94 (C1), 71.28 (C5), 71.02 (C3), 68.25 and 67.00 (C2 and C4), 61.47 (C6), 55.62, 20.81, 20.78, 20.75, 20.69. LC-MS (ESI-TOF):  $m/z$  [M+Na] $^+$  calcd for  $\text{C}_{30}\text{H}_{32}\text{O}_{12} + \text{Na}$ : 607.1786; found 607.1782.

(2'-(2'',3''-Dimethoxycinnamoyl)-3',5'-dimethoxyphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**39**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.63 (d,  $J$  = 16.4 Hz, 1H), 7.21 (dd,  $J$  = 7.9, 1.2 Hz, 1H), 7.06 (t,  $J$  = 8.0 Hz, 1H), 6.93 (dd,  $J$  = 8.2, 1.2 Hz, 1H), 6.90 (d,  $J$  = 16.3 Hz, 1H), 6.44 (d,  $J$  = 2.1 Hz, 1H), 6.27 (d,  $J$  = 2.1 Hz, 1H), 5.41 (dd,  $J$  = 3.4, 1.0 Hz, 1H, H4), 5.34 (dd,  $J$  = 10.5, 8.0 Hz, 1H, H2), 5.02 (dd,  $J$  = 10.5, 3.4 Hz, 1H, H3), 4.94 (d,  $J$  = 8.0 Hz, 1H, H1), 4.24 – 4.12 (m, 2H, H6a and H6b), 4.05 – 4.00 (m, 1H, H5), 3.86 (s, 3H), 3.84 (s, 3H), 3.78 (s, 3H), 3.76 (s, 3H), 2.12 (s, 3H), 2.08 (s, 3H), 2.04 (s, 3H), 1.96 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  194.14, 170.55, 170.36, 170.23, 169.51, 162.11, 158.53, 155.79, 153.20, 148.68, 140.39, 130.13, 129.36, 124.36, 119.62, 114.12, 100.75 (C1), 96.04, 93.45, 71.30 (C5), 70.92 (C3), 67.97 (C2), 67.10 (C4), 61.83 (C6), 61.63, 56.05, 56.03, 55.63, 20.81, 20.79, 20.77, 20.70.


(2'-(2'',3''-Dimethoxycinnamoyl)phenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**40**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.76 (d,  $J$  = 16.1 Hz, 1H), 7.55 (d,  $J$  = 8.6 Hz, 1H), 7.46 (dd,  $J$  = 7.5, 1.7 Hz, 1H), 7.44 – 7.39 (m, 1H), 7.25


(d,  $J = 8.1$  Hz, 1H), 7.21 – 7.15 (m, 1H), 7.13 (d,  $J = 16.1$  Hz, 1H), 6.52 (dd,  $J = 8.6, 2.3$  Hz, 1H), 6.44 (d,  $J = 2.3$  Hz, 1H), 5.48 – 5.41 (m, 2H, H2 and H4), 5.05 (dd,  $J = 10.5, 3.4$  Hz, 1H, H3), 5.00 (d,  $J = 8.1$  Hz, 1H, H1), 4.25 (dd,  $J = 11.3, 7.0$  Hz, 1H, H6a), 4.17 (dd,  $J = 11.3, 6.2$  Hz, 1H, H6b), 4.05 (apparent t,  $J = 6.6$  Hz, 1H, H5), 3.84 (s, 6H), 2.14 (s, 3H), 2.08 (s, 3H), 2.00 (s, 3H), 1.96 (s, 3H).  
 $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  194.08, 170.49, 170.35, 170.23, 169.38, 163.26, 160.29, 154.71, 140.85, 132.43, 131.68, 130.61, 129.58, 125.27, 123.85, 117.76, 117.04, 105.49, 101.03 (C1), 98.42, 71.25 (C5), 71.02 (C3), 68.22 and 67.02 (C2 and C4), 61.48 (C6), 55.61, 55.58, 20.80 (2 C's), 20.76, 20.68. LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup> calcd for  $\text{C}_{31}\text{H}_{34}\text{O}_{13} + \text{Na}$ : 637.1892; found 637.1899.


(2'-(2''-Cinnamoyl)-5'-methoxyphenyl) 2,3,4,6-tetra-O-acetyl- $\beta$ -D-galactopyranoside (**41**):  $^1\text{H}$  NMR (400 MHz,  $\text{CDCl}_3$ )  $\delta$  7.63 – 7.55 (m, 4H), 7.42 – 7.37 (m, 3H), 7.32 (d,  $J = 15.9$  Hz, 1H), 6.79 (d,  $J = 2.3$  Hz, 1H), 6.70 (dd,  $J = 8.6, 2.3$  Hz, 1H), 5.48 – 5.42 (m, 2H, H2 and H4), 5.06 (dd,  $J = 9.8, 4.0$  Hz, 1H, H3), 5.04 (d,  $J = 8.0$  Hz, 1H, H1), 4.26 – 4.15 (m, 2H, H6a and H6b), 4.05 (t,  $J = 6.9$  Hz, 1H, H5), 3.85 (s, 3H), 2.10 (s, 3H), 2.08 (s, 3H), 1.95 (s, 3H), 1.95 (s, 3H).  $^{13}\text{C}$  NMR (101 MHz,  $\text{CDCl}_3$ )  $\delta$  191.33, 170.54, 170.29, 170.18, 169.18, 163.43, 156.92, 143.66, 135.26, 132.05, 130.36, 128.88 (2 C's), 128.73 (2 C's), 127.07, 124.59, 108.20, 104.36, 100.80 (C1), 71.57 and 71.00 (C3 and C5), 68.29 and 67.08 (C2 and C4), 61.65 (C6), 55.73, 20.76, 20.71, 20.68, 20.65. LC-MS (ESI-TOF):  $m/z$  [M+Na]<sup>+</sup> calcd for  $\text{C}_{30}\text{H}_{32}\text{O}_{12} + \text{Na}$ : 607.1786; found 607.1790.

1-Butyl-3-methylimidazolium 4-nitrophenoxyde (**42**): Obtained as yellow oil in 9% yield.<sup>2</sup> <sup>1</sup>H NMR (400 MHz, DMSO) δ 9.11 (s, 1H), 7.76 – 7.74 (m, 1H), 7.74 – 7.70 (m, 2H), 7.69 – 7.67 (m, 1H), 5.99 – 5.93 (m, 2H), 4.13 (t, *J* = 7.2 Hz, 2H), 3.82 (s, 3H), 1.73 (dt, *J* = 14.8, 7.3 Hz, 2H), 1.23 (dq, *J* = 14.7, 7.4 Hz, 2H), 0.87 (t, *J* = 7.4 Hz, 3H). <sup>13</sup>C NMR (101 MHz, DMSO) δ 179.49, 136.56, 127.44, 123.65, 122.30, 119.10, 48.52, 35.78, 31.39, 18.82, 13.32.


1. K. Shimojo, K. Nakashima, N. Kamiya and M. Goto, *Biomacromolecules*, 2006, **7**, 2-5.
2. S. Katsuta, K. Imai, Y. Kudo, Y. Takeda, H. Seki and M. Nakakoshi, *J. Chem. Eng. Data*, 2008, **53**, 1528-1532.










Parameter	Value
1 Spectrometer	vmrns
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-07-06T12:24:23
11 Modification Date	2010-07-06T11:24:58
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-800.7
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-07-06T12:31:49
11 Modification Date	2010-07-06T11:51:30
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	13C
16 Acquired Size	31875
17 Spectral Size	65536







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1950
10 Acquisition Date	2010-07-06T12:53:05
11 Modification Date	2010-07-06T11:56:03
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(5252.1, 5252.1)
14 Lowest Frequency	(-558.4, -558.4)
15 Nucleus	(1H, 1H)
16 Acquired Size	(1024, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-07-06T12:56:04
11 Modification Date	2010-07-06T12:07:24
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(5252.1, 24125.5)
14 Lowest Frequency	(-558.4, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(1047, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1279
10 Acquisition Date	2010-07-06T13:07:25
11 Modification Date	2010-07-06T12:40:28
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(5252.1, 24125.5)
14 Lowest Frequency	(-558.4, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(672, 200)
17 Spectral Size	(1024, 1024)













Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1311
10 Acquisition Date	2010-07-12T16:35:50
11 Modification Date	2010-07-12T15:38:40
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3906.2, 3906.2)
14 Lowest Frequency	(-457.8, -457.8)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1994
10 Acquisition Date	2010-07-12T16:38:41
11 Modification Date	2010-07-12T15:50:02
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3906.2, 24125.5)
14 Lowest Frequency	(-457.8, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(779, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdd3
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-12T16:50:03
11 Modification Date	2010-07-12T16:23:11
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3906.2, 24125.5)
14 Lowest Frequency	(-457.8, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(500, 200)
17 Spectral Size	(512, 512)







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	34
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-07-07T18:26:11
11 Modification Date	2010-07-07T17:26:45
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-803.6
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768










Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrS
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	34
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1278
10 Acquisition Date	2010-07-07T18:49:46
11 Modification Date	2010-07-07T17:52:36
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(4006.4, 4006.4)
14 Lowest Frequency	(-456.3, -456.3)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	34
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1994
10 Acquisition Date	2010-07-07T18:52:36
11 Modification Date	2010-07-07T18:03:58
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(4006.4, 24125.5)
14 Lowest Frequency	(-456.3, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(799, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmr
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	34
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-07T19:03:58
11 Modification Date	2010-07-07T18:37:07
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(4006.4, 24125.5)
14 Lowest Frequency	(-456.3, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(513, 200)
17 Spectral Size	(1024, 1024)







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-07-16T11:34:55
11 Modification Date	2010-07-16T10:35:29
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-804.4
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768










Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cccl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1368
10 Acquisition Date	2010-07-16T12:01:06
11 Modification Date	2010-07-16T11:03:57
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3742.5, 3742.5)
14 Lowest Frequency	(-429.6, -429.6)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-07-16T12:03:58
11 Modification Date	2010-07-16T11:15:20
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3742.5, 24125.5)
14 Lowest Frequency	(-429.6, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(746, 128)
17 Spectral Size	(1024, 1024)








Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-16T12:15:20
11 Modification Date	2010-07-16T11:48:28
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3742.5, 24125.5)
14 Lowest Frequency	(-429.6, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(479, 200)
17 Spectral Size	(1024, 1024)









Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-07-06T15:02:03
11 Modification Date	2010-07-06T14:21:44
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	<sup>13</sup> C
16 Acquired Size	31875
17 Spectral Size	65536





Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1360
10 Acquisition Date	2010-07-06T15:23:19
11 Modification Date	2010-07-06T14:26:10
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3765.1, 3765.1)
14 Lowest Frequency	(-439.1, -439.1)
15 Nucleus	( <sup>1</sup> H, <sup>1</sup> H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1992
10 Acquisition Date	2010-07-06T15:26:10
11 Modification Date	2010-07-06T14:37:32
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3765.1, 24125.5)
14 Lowest Frequency	(-439.1, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(750, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmr
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-06T15:37:33
11 Modification Date	2010-07-06T15:10:41
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3765.1, 24125.5)
14 Lowest Frequency	(-439.1, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(482, 200)
17 Spectral Size	(1024, 1024)













Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1311
10 Acquisition Date	2010-07-07T14:14:47
11 Modification Date	2010-07-07T13:17:38
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3906.2, 3906.2)
14 Lowest Frequency	(-445.7, -445.7)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrS
2 Solvent	cdd3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1994
10 Acquisition Date	2010-07-07T14:17:38
11 Modification Date	2010-07-07T13:29:00
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3906.2, 24125.5)
14 Lowest Frequency	(-445.7, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(779, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-07T14:29:00
11 Modification Date	2010-07-07T14:02:08
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3906.2, 24125.5)
14 Lowest Frequency	(-445.7, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(500, 200)
17 Spectral Size	(1024, 1024)







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-07-19T16:23:40
11 Modification Date	2010-07-19T15:24:14
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-806.6
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-07-19T16:26:05
11 Modification Date	2010-07-19T15:45:47
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	13C
16 Acquired Size	31875
17 Spectral Size	65536







Parameter	Value (f2, f1)
1 Spectrometer	vnmrS
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1319
10 Acquisition Date	2010-07-19T16:47:21
11 Modification Date	2010-07-19T15:50:11
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3882.0, 3882.0)
14 Lowest Frequency	(-439.4, -439.4)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1994
10 Acquisition Date	2010-07-19T16:50:12
11 Modification Date	2010-07-19T16:01:34
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3882.0, 24125.5)
14 Lowest Frequency	(-439.4, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(774, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-19T17:01:34
11 Modification Date	2010-07-19T16:34:42
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3882.0, 24125.5)
14 Lowest Frequency	(-439.4, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(497, 200)
17 Spectral Size	(1024, 1024)







Parameter	Value
1 Spectrometer	vmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-07-20T14:59:18
11 Modification Date	2010-07-20T13:59:52
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-855.5
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768










Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrS
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1368
10 Acquisition Date	2010-07-22T16:00:02
11 Modification Date	2010-07-22T15:02:53
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3742.5, 3742.5)
14 Lowest Frequency	(-430.4, -430.4)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-07-22T16:02:54
11 Modification Date	2010-07-22T15:14:16
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3742.5, 24125.5)
14 Lowest Frequency	(-430.4, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(746, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-22T16:14:16
11 Modification Date	2010-07-22T15:47:25
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3742.5, 24125.5)
14 Lowest Frequency	(-430.4, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(479, 200)
17 Spectral Size	(1024, 1024)













Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1368
10 Acquisition Date	2010-07-16T14:38:36
11 Modification Date	2010-07-16T13:41:28
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3742.5, 3742.5)
14 Lowest Frequency	(-429.8, -429.8)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-07-16T14:41:28
11 Modification Date	2010-07-16T13:52:50
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3742.5, 24125.5)
14 Lowest Frequency	(-429.8, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(746, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrS
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-16T14:52:51
11 Modification Date	2010-07-16T14:25:59
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3742.5, 24125.5)
14 Lowest Frequency	(-429.8, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(479, 200)
17 Spectral Size	(1024, 1024)













Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1368
10 Acquisition Date	2010-07-22T13:38:51
11 Modification Date	2010-07-22T12:41:42
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3742.5, 3742.5)
14 Lowest Frequency	(-430.8, -430.8)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdd3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-07-22T13:41:42
11 Modification Date	2010-07-22T12:53:05
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3742.5, 24125.5)
14 Lowest Frequency	(-430.8, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(746, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmr
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-22T13:53:05
11 Modification Date	2010-07-22T13:26:14
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3742.5, 24125.5)
14 Lowest Frequency	(-430.8, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(479, 200)
17 Spectral Size	(1024, 1024)













Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1360
10 Acquisition Date	2010-07-15T16:59:11
11 Modification Date	2010-07-15T16:02:02
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3765.1, 3765.1)
14 Lowest Frequency	(-445.5, -445.5)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrS
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1992
10 Acquisition Date	2010-07-15T17:02:02
11 Modification Date	2010-07-15T16:13:24
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3765.1, 24125.5)
14 Lowest Frequency	(-445.5, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(750, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-15T17:13:25
11 Modification Date	2010-07-15T16:46:33
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3765.1, 24125.5)
14 Lowest Frequency	(-445.5, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(482, 200)
17 Spectral Size	(1024, 1024)







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-07-23T12:26:42
11 Modification Date	2010-07-23T11:27:17
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-804.4
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768










Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1352
10 Acquisition Date	2010-07-23T12:50:09
11 Modification Date	2010-07-23T11:53:00
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3787.9, 3787.9)
14 Lowest Frequency	(-437.8, -437.8)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-07-23T12:53:01
11 Modification Date	2010-07-23T12:04:23
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3787.9, 24125.5)
14 Lowest Frequency	(-437.8, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(755, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-23T13:04:23
11 Modification Date	2010-07-23T12:37:31
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3787.9, 24125.5)
14 Lowest Frequency	(-437.8, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(485, 200)
17 Spectral Size	(1024, 1024)













Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdd3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1343
10 Acquisition Date	2010-07-09T12:18:19
11 Modification Date	2010-07-09T11:21:10
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3811.0, 3811.0)
14 Lowest Frequency	(-432.8, -432.8)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1994
10 Acquisition Date	2010-07-09T12:21:10
11 Modification Date	2010-07-09T11:32:32
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3811.0, 24125.5)
14 Lowest Frequency	(-432.8, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(760, 128)
17 Spectral Size	(1024, 1024)






Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdd3
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1281
10 Acquisition Date	2010-07-09T12:32:33
11 Modification Date	2010-07-09T12:05:41
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3811.0, 24125.5)
14 Lowest Frequency	(-432.8, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(488, 200)
17 Spectral Size	(1024, 1024)







170.52  
170.38  
170.26  
169.57  
168.44

—153.67

—133.53

—121.68


—117.72


—100.22

71.13  
70.92  
68.75  
66.99  
61.47


24.52  
20.89  
20.81  
20.80  
20.73


Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-09-16T13:07:52
11 Modification Date	2010-09-16T12:27:36
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	13C
16 Acquired Size	31875
17 Spectral Size	65536







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1335
10 Acquisition Date	2010-09-16T13:29:10
11 Modification Date	2010-09-16T12:32:01
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3834.4, 3834.4)
14 Lowest Frequency	(-442.9, -442.9)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-09-16T13:32:01
11 Modification Date	2010-09-16T12:43:23
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3834.4, 24125.5)
14 Lowest Frequency	(-442.9, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(764, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmr
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1281
10 Acquisition Date	2010-09-16T13:43:24
11 Modification Date	2010-09-16T13:16:32
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3834.4, 24125.5)
14 Lowest Frequency	(-442.9, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(491, 200)
17 Spectral Size	(1024, 1024)










Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-07-15T13:42:45
11 Modification Date	2010-07-15T13:02:26
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	13C
16 Acquired Size	31875
17 Spectral Size	65536







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1368
10 Acquisition Date	2010-07-15T14:04:00
11 Modification Date	2010-07-15T13:06:52
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3742.5, 3742.5)
14 Lowest Frequency	(-430.0, -430.0)
15 Nucleus	( <sup>1</sup> H, <sup>1</sup> H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-07-15T14:06:52
11 Modification Date	2010-07-15T13:18:14
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3742.5, 24125.5)
14 Lowest Frequency	(-430.0, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(746, 128)
17 Spectral Size	(1024, 1024)








Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-15T14:18:15
11 Modification Date	2010-07-15T13:51:23
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3742.5, 24125.5)
14 Lowest Frequency	(-430.0, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(479, 200)
17 Spectral Size	(1024, 1024)






Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-09-16T14:22:05
11 Modification Date	2010-09-16T13:22:41
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-800.1
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-09-16T14:28:29
11 Modification Date	2010-09-16T13:48:12
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	13C
16 Acquired Size	31875
17 Spectral Size	65536





Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1352
10 Acquisition Date	2010-09-16T14:49:46
11 Modification Date	2010-09-16T13:52:37
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3787.9, 3787.9)
14 Lowest Frequency	(-440.9, -440.9)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-09-16T14:52:38
11 Modification Date	2010-09-16T14:03:59
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3787.9, 24125.5)
14 Lowest Frequency	(-440.9, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(755, 128)
17 Spectral Size	(1024, 1024)








Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-09-16T15:04:00
11 Modification Date	2010-09-16T14:37:08
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3787.9, 24125.5)
14 Lowest Frequency	(-440.9, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(485, 200)
17 Spectral Size	(1024, 1024)









Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-07-07T15:16:36
11 Modification Date	2010-07-07T14:36:17
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1696.4
15 Nucleus	<sup>13</sup> C
16 Acquired Size	31875
17 Spectral Size	65536





Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1360
10 Acquisition Date	2010-07-07T15:37:51
11 Modification Date	2010-07-07T14:40:42
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3765.1, 3765.1)
14 Lowest Frequency	(-444.5, -444.5)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1992
10 Acquisition Date	2010-07-07T15:40:43
11 Modification Date	2010-07-07T14:52:04
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3765.1, 24125.5)
14 Lowest Frequency	(-444.5, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(750, 128)
17 Spectral Size	(1024, 1024)






Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmr
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-07T15:52:05
11 Modification Date	2010-07-07T15:25:13
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3765.1, 24125.5)
14 Lowest Frequency	(-444.5, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(482, 200)
17 Spectral Size	(1024, 1024)








170.53  
170.35  
170.20  
169.55  
161.57  
158.75


99.47  
95.82  
95.12

71.27  
70.98  
68.71  
67.06  
61.63  
55.55


20.88  
20.77  
20.70


Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-07-06T16:38:40
11 Modification Date	2010-07-06T15:58:21
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	13C
16 Acquired Size	31875
17 Spectral Size	65536







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdd3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1368
10 Acquisition Date	2010-07-06T16:59:55
11 Modification Date	2010-07-06T16:02:47
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3742.5, 3742.5)
14 Lowest Frequency	(-432.1, -432.1)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-07-06T17:02:47
11 Modification Date	2010-07-06T16:14:09
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3742.5, 24125.5)
14 Lowest Frequency	(-432.1, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(746, 128)
17 Spectral Size	(1024, 1024)








Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-07-06T17:14:09
11 Modification Date	2010-07-06T16:47:18
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3742.5, 24125.5)
14 Lowest Frequency	(-432.1, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(479, 200)
17 Spectral Size	(1024, 1024)






Parameter	Value
1 Spectrometer	vmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	36
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-08-12T16:50:23
11 Modification Date	2010-08-12T15:50:57
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-803.4
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-08-12T16:53:05
11 Modification Date	2010-08-12T16:12:48
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	$^{13}\text{C}$
16 Acquired Size	31875
17 Spectral Size	65536





Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	36
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1335
10 Acquisition Date	2010-08-12T17:14:35
11 Modification Date	2010-08-12T16:17:26
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3834.4, 3834.4)
14 Lowest Frequency	(-438.5, -438.5)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)








Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	36
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-08-12T17:17:26
11 Modification Date	2010-08-12T16:28:48
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3834.4, 24125.5)
14 Lowest Frequency	(-438.5, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(764, 128)
17 Spectral Size	(1024, 1024)









Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-08-12T15:37:53
11 Modification Date	2010-08-12T14:57:35
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	$^{13}\text{C}$
16 Acquired Size	31875
17 Spectral Size	65536





Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	34
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1327
10 Acquisition Date	2010-08-12T15:59:22
11 Modification Date	2010-08-12T15:02:13
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3858.0, 3858.0)
14 Lowest Frequency	(-441.4, -441.4)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdd3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	34
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-08-12T16:02:13
11 Modification Date	2010-08-12T15:13:35
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3858.0, 24125.5)
14 Lowest Frequency	(-441.4, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(769, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	34
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-08-12T16:13:36
11 Modification Date	2010-08-12T15:46:44
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3858.0, 24125.5)
14 Lowest Frequency	(-441.4, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(494, 200)
17 Spectral Size	(1024, 1024)







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	36
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-08-12T14:13:51
11 Modification Date	2010-08-12T13:14:24
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-804.2
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768










Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmr
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	36
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1319
10 Acquisition Date	2010-08-12T14:38:16
11 Modification Date	2010-08-12T13:41:06
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3882.0, 3882.0)
14 Lowest Frequency	(-439.7, -439.7)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmr
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	36
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1994
10 Acquisition Date	2010-08-12T14:41:07
11 Modification Date	2010-08-12T13:52:29
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3882.0, 24125.5)
14 Lowest Frequency	(-439.7, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(774, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	36
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-08-12T14:52:29
11 Modification Date	2010-08-12T14:25:38
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3882.0, 24125.5)
14 Lowest Frequency	(-439.7, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(497, 200)
17 Spectral Size	(1024, 1024)













Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	32
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.2441
10 Acquisition Date	2010-08-11T17:40:42
11 Modification Date	2010-08-11T16:43:48
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(4194.6, 4194.6)
14 Lowest Frequency	(-466.7, -466.7)
15 Nucleus	(1H, 1H)
16 Acquired Size	(1024, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	32
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-08-11T17:43:49
11 Modification Date	2010-08-11T16:55:10
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(4194.6, 24125.5)
14 Lowest Frequency	(-466.7, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(836, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	32
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-08-11T17:55:11
11 Modification Date	2010-08-11T17:28:18
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(4194.6, 24125.5)
14 Lowest Frequency	(-466.7, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(537, 200)
17 Spectral Size	(1024, 1024)





Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-09-17T17:26:34
11 Modification Date	2010-09-17T16:27:10
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-803.6
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768





170.50  
170.31  
170.17  
169.56


133.56  
132.85  
132.05  
129.86  
129.70  
128.54  
127.82  
127.73  
126.77  
126.75


86.74

74.61  
72.11  
67.41  
67.35  
61.83


21.01  
20.79  
20.72



Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-09-17T17:29:19
11 Modification Date	2010-09-17T16:49:01
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	13C
16 Acquired Size	31875
17 Spectral Size	65536






Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.2490
10 Acquisition Date	2010-09-17T17:50:36
11 Modification Date	2010-09-17T16:53:43
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(4111.8, 4111.8)
14 Lowest Frequency	(-463.1, -463.1)
15 Nucleus	(1H, 1H)
16 Acquired Size	(1024, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdd3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1994
10 Acquisition Date	2010-09-17T17:53:43
11 Modification Date	2010-09-17T17:05:05
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(4111.8, 24125.5)
14 Lowest Frequency	(-463.1, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(820, 128)
17 Spectral Size	(1024, 1024)





Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1279
10 Acquisition Date	2010-09-17T18:05:05
11 Modification Date	2010-09-17T17:38:12
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(4111.8, 24125.5)
14 Lowest Frequency	(-463.1, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(526, 200)
17 Spectral Size	(1024, 1024)





Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-09-20T20:24:36
11 Modification Date	2010-09-20T19:25:12
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-800.7
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768





170.48  
170.31  
170.18  
169.54


—138.57  
—133.23  
—129.74  
—128.72


—87.07

—74.44  
—72.12  
—67.37  
—67.30  
—61.69


21.28  
20.99  
20.80  
20.76  
20.72


Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-09-20T20:33:29
11 Modification Date	2010-09-20T19:53:13
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	13C
16 Acquired Size	31875
17 Spectral Size	65536







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1352
10 Acquisition Date	2010-09-20T20:54:49
11 Modification Date	2010-09-20T19:57:40
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3787.9, 3787.9)
14 Lowest Frequency	(-415.0, -415.0)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdd3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-09-20T20:57:40
11 Modification Date	2010-09-20T20:09:02
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3787.9, 24125.5)
14 Lowest Frequency	(-415.0, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(755, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-09-20T21:09:03
11 Modification Date	2010-09-20T20:42:11
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3787.9, 24125.5)
14 Lowest Frequency	(-415.0, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(485, 200)
17 Spectral Size	(1024, 1024)













Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1343
10 Acquisition Date	2010-09-20T18:07:36
11 Modification Date	2010-09-20T17:10:27
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3811.0, 3811.0)
14 Lowest Frequency	(-419.1, -419.1)
15 Nucleus	( <sup>1</sup> H, <sup>1</sup> H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1994
10 Acquisition Date	2010-09-20T18:10:27
11 Modification Date	2010-09-20T17:21:49
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3811.0, 24125.5)
14 Lowest Frequency	(-419.1, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(760, 128)
17 Spectral Size	(1024, 1024)








Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1281
10 Acquisition Date	2010-09-20T18:21:50
11 Modification Date	2010-09-20T17:54:58
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3811.0, 24125.5)
14 Lowest Frequency	(-419.1, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(488, 200)
17 Spectral Size	(1024, 1024)









Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-09-17T16:10:26
11 Modification Date	2010-09-17T15:30:08
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	13C
16 Acquired Size	31875
17 Spectral Size	65536





Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1343
10 Acquisition Date	2010-09-17T16:31:42
11 Modification Date	2010-09-17T15:34:33
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3811.0, 3811.0)
14 Lowest Frequency	(-433.3, -433.3)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1994
10 Acquisition Date	2010-09-17T16:34:34
11 Modification Date	2010-09-17T15:45:56
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3811.0, 24125.5)
14 Lowest Frequency	(-433.3, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(760, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1281
10 Acquisition Date	2010-09-17T16:45:56
11 Modification Date	2010-09-17T16:19:04
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3811.0, 24125.5)
14 Lowest Frequency	(-433.3, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(488, 200)
17 Spectral Size	(1024, 1024)







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-07-19T15:16:42
11 Modification Date	2010-07-19T14:17:17
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-803.8
15 Nucleus	<sup>1</sup> H
16 Acquired Size	13132
17 Spectral Size	32768










Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1294
10 Acquisition Date	2010-07-19T18:16:02
11 Modification Date	2010-07-19T17:18:53
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3955.7, 3955.7)
14 Lowest Frequency	(-472.8, -472.8)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1992
10 Acquisition Date	2010-07-19T18:18:53
11 Modification Date	2010-07-19T17:30:15
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3955.7, 24125.5)
14 Lowest Frequency	(-472.8, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(788, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmr
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1279
10 Acquisition Date	2010-07-19T18:30:15
11 Modification Date	2010-07-19T18:03:23
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3955.7, 24125.5)
14 Lowest Frequency	(-472.8, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(506, 200)
17 Spectral Size	(1024, 1024)







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	32
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-09-17T13:32:52
11 Modification Date	2010-09-17T12:33:35
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-803.2
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768










Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cccl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1253
10 Acquisition Date	2010-09-17T14:56:36
11 Modification Date	2010-09-17T13:59:26
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(4085.0, 4085.0)
14 Lowest Frequency	(-501.6, -501.6)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1993
10 Acquisition Date	2010-09-17T14:59:26
11 Modification Date	2010-09-17T14:10:48
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(4085.0, 24125.5)
14 Lowest Frequency	(-501.6, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(814, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-09-17T15:10:48
11 Modification Date	2010-09-17T14:37:35
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(4085.0, 24125.5)
14 Lowest Frequency	(-501.6, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(523, 200)
17 Spectral Size	(1024, 1024)





Parameter	Value
1 Spectrometer	vnmr3
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	40
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-09-21T18:56:49
11 Modification Date	2010-09-21T17:57:25
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-804.2
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768





—194

170.55  
 170.36  
 170.23  
 169.51  
 162.11  
 158.53  
 155.79  
 153.20  
 148.68  
 —140.39


130.13  
 129.36  
 124.36  
 ~119.62  
 ~114.12


—100.75  
 —96.04  
 —93.45

71.20  
 70.92  
 67.97  
 67.10  
 61.83  
 61.63  
 56.05  
 55.63


20.81  
 20.79  
 20.77  
 20.70


Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	7000
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-09-21T19:37:14
11 Modification Date	2010-09-21T23:05:50
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1697.9
15 Nucleus	13C
16 Acquired Size	31875
17 Spectral Size	65536







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	38
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1286
10 Acquisition Date	2010-09-22T00:07:38
11 Modification Date	2010-09-21T23:10:27
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3980.9, 3980.9)
14 Lowest Frequency	(-493.5, -493.5)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	16
6 Receiver Gain	38
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1992
10 Acquisition Date	2010-09-22T00:10:28
11 Modification Date	2010-09-22T04:53:56
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3980.9, 24125.5)
14 Lowest Frequency	(-493.5, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(793, 512)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	16
6 Receiver Gain	38
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1281
10 Acquisition Date	2010-09-22T05:53:57
11 Modification Date	2010-09-22T07:41:33
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3980.9, 24125.5)
14 Lowest Frequency	(-493.5, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(510, 512)
17 Spectral Size	(1024, 1024)







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-09-17T12:16:16
11 Modification Date	2010-09-17T11:16:59
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-801.5
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-09-17T12:18:09
11 Modification Date	2010-09-17T11:37:50
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	13C
16 Acquired Size	31875
17 Spectral Size	65536







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cddl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1278
10 Acquisition Date	2010-09-17T12:39:25
11 Modification Date	2010-09-17T11:42:15
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(4006.4, 4006.4)
14 Lowest Frequency	(-462.5, -462.5)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1994
10 Acquisition Date	2010-09-17T12:42:15
11 Modification Date	2010-09-17T11:53:37
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(4006.4, 24125.5)
14 Lowest Frequency	(-462.5, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(799, 128)
17 Spectral Size	(1024, 1024)







Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1280
10 Acquisition Date	2010-09-17T12:53:37
11 Modification Date	2010-09-17T12:26:45
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(4006.4, 24125.5)
14 Lowest Frequency	(-462.5, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(513, 200)
17 Spectral Size	(1024, 1024)







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	2.0486
10 Acquisition Date	2010-08-09T15:33:39
11 Modification Date	2010-08-09T14:34:13
12 Spectrometer Frequency	399.81
13 Spectral Width	6410.3
14 Lowest Frequency	-806.3
15 Nucleus	1H
16 Acquired Size	13132
17 Spectral Size	32768







Parameter	Value
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	s2pul
5 Number of Scans	512
6 Receiver Gain	30
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	1.3005
10 Acquisition Date	2010-08-09T15:40:05
11 Modification Date	2010-08-09T14:59:47
12 Spectrometer Frequency	100.54
13 Spectral Width	24509.8
14 Lowest Frequency	-1699.1
15 Nucleus	<sup>13</sup> C
16 Acquired Size	31875
17 Spectral Size	65536







Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gCOSY
5 Number of Scans	1
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1286
10 Acquisition Date	2010-08-09T16:01:22
11 Modification Date	2010-08-09T15:04:12
12 Spectrometer Frequency	(399.81, 399.81)
13 Spectral Width	(3980.9, 3980.9)
14 Lowest Frequency	(-435.2, -435.2)
15 Nucleus	(1H, 1H)
16 Acquired Size	(512, 128)
17 Spectral Size	(1024, 1024)





Parameter	Value (f2, f1)
1 Spectrometer	vnmrs
2 Solvent	cdcl3
3 Temperature	25.0
4 Pulse Sequence	gHSQC
5 Number of Scans	2
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1992
10 Acquisition Date	2010-08-09T16:04:13
11 Modification Date	2010-08-09T15:15:35
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3980.9, 24125.5)
14 Lowest Frequency	(-435.2, -1506.8)
15 Nucleus	(1H, 13C)
16 Acquired Size	(793, 128)
17 Spectral Size	(1024, 1024)





Parameter	Value (f <sub>2</sub> , f <sub>1</sub> )
1 Spectrometer	vnmrs
2 Solvent	cdcl <sub>3</sub>
3 Temperature	25.0
4 Pulse Sequence	gHMBC
5 Number of Scans	8
6 Receiver Gain	20
7 Relaxation Delay	1.0000
8 Pulse Width	0.0000
9 Acquisition Time	0.1281
10 Acquisition Date	2010-08-09T16:15:36
11 Modification Date	2010-08-09T15:48:44
12 Spectrometer Frequency	(399.81, 100.54)
13 Spectral Width	(3980.9, 24125.5)
14 Lowest Frequency	(-435.2, -1506.8)
15 Nucleus	( <sup>1</sup> H, <sup>13</sup> C)
16 Acquired Size	(510, 200)
17 Spectral Size	(1024, 1024)

