

Supplementary Material (ESI) for RSC Advances
This journal is (c) The Royal Society of Chemistry 2012

Electronic Supporting Information

Aggregation-induced growth of hexagonal ZnO hierarchical mesocrystals with interior space: nonaqueous synthesis, growth mechanism, and optical properties

Hequan Wang,^{*a} Ling Xin,^{a,c} Hai Wang,^{*b} Xiao Yu,^{a,c} Yong Liu,^{*c} Xiang Zhou,^c and Baojun Li^c

^a College of Mechanical and Electrical Engineering, Shenyang Aerospace University, Shenyang 110136, China. Fax: +86-024-89724538; Tel: +86-24-86192945, E-mail: wanghqsau@163.com

^b Key Laboratory of New Processing Technology for Nonferrous Metal and Materials, Ministry of Education, Guilin University of Technology, Guilin 541004, China, E-mail: hbwanghai@gmail.com

^c School of Physics and Engineering, State Key Laboratory of Optoelectronic Materials and Technologies, Sun Yat-sen University, Guangzhou 510275, China. Fax: +86-20-3933-2866; Tel:+86-20-3933-2863, E-mail: liuyong7@mail.sysu.edu.cn

Corresponding E-mail: wanghqsau@163.com

Supplementary Material (ESI) for RSC Advances

This journal is (c) The Royal Society of Chemistry 2012

Figure captions

Fig.S1 The high-magnification FESEM image of the as-prepared ZHMI composed of many folds with a stable step.

Fig. S2 The oriented attachment process of ZnO isosceles trapezoid geometry building crystals.

Supplementary Material (ESI) for RSC Advances
This journal is (c) The Royal Society of Chemistry 2012




Fig.S1 The high-magnification FESEM image of the as-prepared ZHMI composed of many folds with a stable step.




Fig. S2 The oriented attachment process of ZnO isosceles trapezoid geometry building crystals.