

Supporting Information




One-pot synthesis of 6*H*-benzo[*b*]benzo[4,5]imidazo[1,2-*d*][1,4]oxazines
via copper-catalyzed process




Aiping Huang, Huanhuan Liu, Chen Ma*




*School of Chemistry and Chemical Engineering, Shandong University, Jinan, 250100,
P R China.*




Contents




1. NMR Spectra of 3a-3l	S2-S13
2. NMR Spectra of 4a-4f	S14-S19









































BRUKER



Current Data Parameters
NAME Huang_361_121218
EXPNO 2
PROCNO 1


F2 - Acquisition Parameters
Date_ 20121218
Time 12.12
INSTRUM spect
PROBHD 5 mm PABBO 500
PULPROG zgpg30
ID zgpg30
SOLVENT CDCl3
NS 360
DS 4
SWH 23060.814 Hz
F2REQ 500.136185 MHz
AQ 1.3664756 sec
RG 356.625
WM 20.850 usec
DE 6.00 usec
TE 298.2 K
SI 2.00000000 sec
SII 0.00000000 sec
DELTA 1.69999999 sec
TD0 1

===== CHANNEL f1 =====
NUC1 13C
P1 0.20 usec
PL1 0.00 dB
SFO1 100.6261200 MHz

===== CHANNEL f2 =====
CPDPRG2 waltz16
NUC2 1H
PCPD2 05.00 usec
PL2 19.00 dB
PL3 12.00 dB
PL4 19.00 dB
SFO2 400.1514000 MHz

F2 - Processing parameters
SI 32768
SF 100.6127449 MHz
WDW EM
SSB 0
LB 1.30 Hz
GB 0
PC 1.40





4d

