

Supporting Information


Concise total synthesis of botryolide B

Debendra K. Mohapatra,^{*a} G. Umamaheshwar,^a M. Mallikarjuna Rao,^a
Deivasigamani Umadevi,^b and Jhillu S. Yadav^a

^aNatural Products Chemistry Division, ^bCentre for Molecular Modelling, CSIR-Indian
Institute of Chemical Technology, Hyderabad 500 007, INDIA

Ph/Fax: 91-40-27193128

mohapatra@iict.res.in




CONTENTS


Figures (NMR Spectra)

S03-S24


S 3




¹³C NMR of 21 (75 MHz, CDCl₃)



^1H NMR of 15 (300 MHz, CDCl_3)




^{13}C NMR of 15 (75 MHz, CDCl_3)




S 7


S 8




^1H NMR of 13 (300 MHz, CDCl_3)




^{13}C NMR of 13 (75 MHz, CDCl_3)




¹H NMR of 19 (300 MHz, CDCl₃)




^{13}C NMR of 19 (75 MHz, CDCl_3)




^1H NMR of 20 (300 MHz, CDCl_3)




^{13}C NMR of 20 (75 MHz, CDCl_3)




^1H NMR of 11 (300 MHz, CDCl_3)




^{13}C NMR of 11 (75 MHz, CDCl_3)




^1H NMR of 10 (300 MHz, CDCl_3)




^{13}C NMR of 10 (75 MHz, CDCl_3)




^1H NMR of 26 (300 MHz, CDCl_3)




^{13}C NMR of 26 (75 MHz, CDCl_3)




^1H NMR of 27 (300 MHz, CDCl_3)



^{13}C NMR of 27 (75 MHz, CDCl_3)



¹H NMR of 2 (300 MHz, CDCl₃)



^{13}C NMR of 2 (75 MHz, CDCl_3)