

Supporting information

Water-soluble Highly Fluorinated Graphite Oxide

Ondřej Jankovský^a, Petr Šimek^a, David Sedmidubský^a, Stanislava Matějková^b, Zbyněk Janoušek^b, Filip Šembera^a, Martin Pumera^c and Zdeněk Sofer^{a,*}

^a *Institute of Chemical Technology, Department of Inorganic Chemistry, 166 28 Prague 6, Czech Republic, E-mail: zdenek.sofer@vscht.cz; Fax: +420 22431-0422*

^b *Institute of Organic Chemistry and Biochemistry AS CR, v.v.i., Flemingovo nam. 2., 166 10 Prague 6, Czech Republic, E-mail: Stanislava.Matejkova@uochb.cas.cz; Fax: +420 220183578*

^c *Division of Chemistry & Biological Chemistry, School of Physical and Mathematical Sciences, Nanyang Technological University, Singapore, 637371, Singapore. E-mail: pumera@ntu.edu.sg; Fax: +65 6791-1961*




Figure S1. Wide-range XPS spectra of graphite oxides ST-GO and HU-GO.




Figure S2. Detail of high resolution XPS spectra of graphite oxides C 1s peak for ST-GO and HU-GO samples used for fluorinations.




Figure S3. Detail of high resolution XPS spectra of graphite oxides O 1s peak for ST-GO and HU-GO samples used for fluorinations.