

Electronic Supplementary Material (ESI) for RSC Advances

This journal is © The Royal Society of Chemistry 2013

Supporting Information

Efficient adsorptive removal of dibenzothiophene by graphene oxide-based surface molecularly imprinted polymer

Feifei Duan,^{ac} Chaoqiu Chen,^b Guizhen Wang,^b Yongzhen Yang,^{ad} Xuguang Liu^{ac*} and Yong Qin^{b*}

^aKey Laboratory of Interface Science and Engineering in Advanced Materials (Taiyuan University of Technology), Ministry of Education, Taiyuan 030024, China. Tel: +86 351-6014138; Email: liuxuguang@tyut.edu.cn

^bInstitute of Coal Chemistry, Chinese Academy of Sciences, Taiyuan 030024, China. Tel: +86 351-4040081; Email: qinyong@sxicc.ac.cn

^cCollege of Chemistry and Chemical Engineering, Taiyuan University of Technology, Taiyuan 030024, China

^dResearch Center on Advanced Materials Science and Technology, Taiyuan University of Technology, Taiyuan 030024, China




Fig. S1. DTG curves of GO, MPS/GO, MIPs/GO (N_2 , $10^{\circ}\text{C}/\text{min}$)




Fig. S2. The TG curves of GO and MPS/GO (air, $10^{\circ}\text{C}/\text{min}$)