## **Supporting Information**


Intramolecular 5-endo-Trig Aminopalladation of  $\beta$ -hydroxy- $\gamma$ -alkenylamine: Efficient Route to a Pyrrolidine Ring and Its Application for the Synthesis of (-)-8,8a-di-epi-swainsonine

Priyanka Singh, Gautam Panda\*


Medicinal and Process Chemistry Division, CSIR-Central Drug Research Institute, B.S. 10/1, Sector 10, Jankipuram Extension, Sitapur Road, Lucknow-226031, India


## **Table of contents**

NMR	spectrum	• • • • • • • • • • • • • • • • • • • •	 S19
INIVIK	spectrum	• • • • • • • • • • • • • • • • • • • •	 <b>9</b> 1




<sup>1</sup>H NMR spectrum of (CDCl<sub>3</sub>) of compound **8** 







<sup>1</sup>H NMR spectrum (CDCl<sub>3</sub>) of compound **6** S4




<sup>13</sup>C NMR spectrum (CDCl<sub>3</sub>) of compound **6** S5




<sup>1</sup>H NMR spectrum (CDCl<sub>3</sub>) of compound **9** S6







<sup>1</sup>H NMR spectrum (CDCl<sub>3</sub>) of compound **10** S8




<sup>13</sup>C NMR spectrum (CDCl<sub>3</sub>) of compound **10** S9




<sup>1</sup>H NMR spectrum (CDCl<sub>3</sub>) of compound **11** S10




<sup>13</sup>C NMR spectrum (CDCl<sub>3</sub>) of compound **11** S11




<sup>1</sup>H spectrum (CDCl<sub>3</sub>) of compound **13** S12




<sup>1</sup>H NMR spectrum (CDCl<sub>3</sub>) of compound **14** S13




<sup>1</sup>H NMR spectrum (CDCl<sub>3</sub>) of compound **15** S14




<sup>13</sup>C NMR spectrum (CDCl<sub>3</sub>) of compound **15** S15



<sup>1</sup>H spectrum (CDCl<sub>3</sub>) of compound **17** S16




<sup>13</sup>C NMR spectrum (CDCl<sub>3</sub>) of compound **17** S17



<sup>1</sup>H NMR spectrum (D<sub>2</sub>O) of compound **1** S18





 $^{13}\text{C NMR}$  spectrum (D2O) of compound 1 S19