SUPPORTING INFORMATION

Synthesis and Photophysical Properties of Novel Phthalocyanine-Perylenediimide-Phthalocyanine Triad and Phthalocyanine- Perylenediimide Dyads

Xiaobo Sun,*a Wenfeng Qiu,^b Donghui Wei,^c Mingsheng Tang^c and Lin Guo*a

^a School of Chemistry and Environment, Beihang University, Beijing 100191, P. R. China.
^b Institute of Chemistry, Chinese Academy of Sciences, Beijing 100080, P. R. China,
^c The College of Chemistry and Molecular Engineering, Zhengzhou University, Zhengzhou, Henan Province 450001, People's Republic of China.

CONTENTS

Figure S1 MALDI-TOF MS spectra of compound 4 with theoretically calculated pattern of

isotopic distribution

Figure S2 MALDI–TOF MS spectrum of compound 5

Figure S3 MALDI–TOF MS spectrum of compound 6

Figure S4 UV/Vis absorption spectrum of compounds 7 in CHCl₃ at room temperature.

Figure S5 UV/Vis absorption spectrum of compounds 8 in CHCl₃ at room temperature.







Fig. S2 MALDI–TOF MS spectra of compound 5





Fig. S4 UV-vis absorption spectrum of compound 7 in CHCl₃ at room temperature.



Fig. S5 UV/Vis absorption spectrum of compound 8 in CHCl₃ at room temperature.

