

SUPPORTING INFORMATION

Affibody conjugation onto bacterial cellulose tubes and bioseparation of human serum albumin

Hannes Orelma^{a*}, Luis O. Morales^a, Leena-Sisko Johansson^a, Ingrid C. Hoeger^b, Ilari Filpponen^a, Cristina Castro^c, Orlando J. Rojas^{ab}, Janne Laine^a

^aAalto University, School of Science and Technology, Faculty of Chemistry and Material Sciences, Department of Forest Products Technology, FI-00076, Espoo, Finland. ^bNorth Carolina State University, Departments of Forest Biomaterials and Chemical and Biomolecular Engineering, Raleigh, NC 27695, USA. ^cSchool of Engineering, Universidad Pontificia Bolivariana, Circular 1 # 70-01, Medellín, Colombia.

E-mail: hannes.orelma@aalto.fi

Table of Contents

1. Surface Plasmon Resonance	0
1.1. SPR data for the adsorption of HSA on pure, CMC-modified, and anti-HSA functionalized CMC-modified cellulose surfaces	1

1. Surface Plasmon Resonance

1.1. SPR data for the adsorption of HSA on pure, CMC-modified, and anti-HSA functionalized CMC-modified cellulose surfaces




Figure S1. SPR data for the adsorption of 0.1 mg/ml Human Serum Albumin (HSA) on pure, CMC-modified, and anti-HSA functionalized CMC-modified cellulose from pH 7.4 phosphate buffer.