ELECTRONIC SUPPORTING INFORMATION

A Highly-sensitive Microfluidics System for Multiplexed Surface-enhanced Raman Scattering (SERS) Detection Based on Ag Nanodot Arrays

Gang Chen^{*a,b,†*}, Yuyang Wang^{*a,†*}, Hailong Wang^{*a*}, Ming Cong^{*a*}, Lei Chen^{*a*}, Yongan Yang^{*c*}, Yijia Geng^{*d*}, Haibo Li^{*a*}, Shuping Xu^{*a*} and Weiqing Xu^{*a*},*

a State Key laboratory of Supramolecular Structure and Materials, Jilin University, 2699 Qianjin Ave., Changchun, The People's Republic of China.

b College of Chemistry, Jilin University, 2699 Ave., Changchun, The People's Republic of China. c Department of Physics and Electronic Science, Chu Xiong Normal University, Chu Xiong 675000, The People's Republic of China.

d. College of Physics, Jilin University, 2699 Ave., Changchun, The People's Republic of China

[†] These two authors contributed equally to this work and should be regarded as co-first authors.



Fig. S1 CAD models for FDTD simulation of Ag nanodot arrays with different diameters of the nanodots, a) 40 nm, b) 50 nm, c)80 nm.