

Supplementary Information for

One-pot synthesis of hierarchical SnO₂ hollow nanospindles self-assembled from nanorods and their lithium storage properties

Qingjiang Yu,^{*ab} Wenqi Wang,^a Huixin Wang,^c Yewu Huang,^a Jinzhong Wang,^{*a} Shiyong Gao,^{*a} Fengyun Guo,^a Xitian Zhang,^b Hong Gao,^b Xuanzhang Wang^b and Cuiling Yu^{*d}

^aDepartment of Optoelectric Information Science, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin, 150001, China. Fax: +86 451 86418328; Tel: +86 451 86417763; E-mail: qingjiang.yu@hit.edu.cn; jinzhong_wang@hit.edu.cn; gaoshiyong@hit.edu.cn

^bKey Laboratory for Photonic and Electric Bandgap Materials, Ministry of Education, Harbin Normal University, Harbin, 150025, China

^cDepartment of Material Physics and Chemistry, School of Materials Science and Engineering, Harbin Institute of Technology, Harbin, 150001, China

^dDepartment of Physics, Harbin Institute of Technology, Harbin, 150001, China. E-mail: cuiling.yu@hit.edu.cn




Fig. S1 N₂ adsorption–desorption isotherms of SnO₂ hollow nanospindles.