

Supplementary Information Soft Matter Journal

Influence of molecular size on gel-forming properties of telechelic collagen-inspired polymers

Helena Teles^{*,1,2}, Paulina J. Skrzyszewska^{3,4}, Marc W. T. Werten¹, Jasper van der Gucht³,
Gerrit Eggink^{1,2} and Frits A. de Wolf^{*,1}

1. *Wageningen UR Food and Biobased Research, Bornse Weiland 9, 6708 WG Wageningen, The Netherlands*
2. *Wageningen University Bioprocess Engineering, Bomenweg 2, 6703 HD Wageningen, The Netherlands*
3. *Laboratory of Physical Chemistry and Colloid Science, Wageningen University, Dreijenplein 6, 6703 HB Wageningen, The Netherlands*
4. *Dutch Polymer Institute (DPI), P.O. Box 902, 5600 AX Eindhoven, The Netherlands*

*Corresponding author;

E-mail: helena.teles@wur.nl; Telephone: +31(0) 317- 480217; Fax +31 (0) 317- 483011

E-mail: frits.dewolf@wur.nl; Telephone: +31(0) 317- 481290; Fax +31 (0) 317- 483011




Fig. S1. (A) TP4T and (B) TP8T Creep experiments at 293 K for different concentrations as indicated; (C) TP4T and (D) TP8T Combined frequency sweeps and converted creep experiments at 293K at different concentrations as indicated.




Fig. S2. Plateau storage modulus (G_0) as a function of temperature for different concentrations of TR8T: 1.2 mM (∇), 0.9 mM ($+$), 0.6 mM ($\diamond$). Symbols correspond to experimental data and lines correspond to model calculations.