Cite this: DOI: 10.1039/c1sm05894k

www.rsc.org/softmatter

PAPER

Supporting Information

Nam Seob Baek,^a Yong Hee Kim,^a Young Hwan Han,^a Bong Joon Lee,^a Tae-Dong Kim,^b Sin-Tae Kim,^b Young-Seok Choi,^a Gook Hwa Kim,^a Myung-Ae Chung^a and Sang-Don Jung^{*a}

5 Contents

Fig. S1 ¹H NMR spectra of monomers and polyfluorene derivative (Br-PF).

Fig. S2 Comparison of ATR-FTIR spectra of (a) Br-PF film casted onto m-PEI/ITO substrate before and after

photoirradiation (360 s) and (b) Br-PF films casted on quartz as a function of exposure time.

Fig. S3 Patterned images of Br-PF film as a function of exposure time (All scale bars are 100 µm).

¹⁰ Fig. S4 PL intensities of Br-PF film as a function of exposure time (no development).

Fig. S5 Water contact angles for a) bare ITO surface, b) pre-treated ITO surface, c) m-PEI layer, and spin-

coated polyfluorene layer d) before and e) after photoirradiation.

Fig. S6 Wide-scan photoelectron spectrum of Br-PF film casted on quartz substrate

before and after photoexposoure (360 s).

15



Fig. S1 ¹H NMR spectra of monomers and polyfluorene derivative (Br-PF).



Fig. S2 Comparison of ATR-FTIR spectra of (a) Br-PF film casted onto m-PEI/ITO substrate before and after photoirradiation (360 s) and (b) Br-PF films casted on quartz as a function of exposure time.

5



Fig. S3 Patterned images of Br-PF film as a function of exposure time (All scale bars are 100 µm).



Fig. S4 PL intensities of Br-PF film as a function of exposure time (no development).

15

5

10

15



Fig. S5 Water contact angles for a) bare ITO surface, b) pre-treated ITO surface, c) m-PEI layer, and spincoated polyfluorene layer d) before and e) after photoirradiation.



Fig. S6 Wide-scan photoelectron spectrum of Br-PF film casted on quartz substrate before and after photoexposoure (360 s).