

Electronic Supplementary Information (ESI)

3D-Bioprinting Approach to Fabricate Superhydrophobic Epoxy/Organophilic Clay as Advanced Anticorrosive Coatings with a Synergistic Effect of Superhydrophobicity and Gas Barrier Property

Chi-Hao Chang,^a Min-Hsiang Hsu,^a Chang-Jian Weng,^a Wei-I Hung,^{ab} Tsao-Li Chuang,^a Kung-Chin Chang,^a Chih-Wei Peng,^a Yu-Chun Yen,^c and Jui-Ming Yeh^{*a}

^a Department of Chemistry and Center for Nanotechnology at Chung Yuan Christian University(CYCU), Chung Li, Taiwan 32023, R. O. C.. Tel: 886-3-2653341;

E-mail: juiming@cycu.edu.tw

^b Institute of Chemistry, Academia Sinica, 128, Section 2, Academia Road, Taipei 115, Taiwan 11529, R. O. C.

^c Department of Chemistry at National Sun Yat-sen University (NSYSU), 70 LienLai Rd., Kaohsiung 80424, Taiwan, R.O.C.




Fig. S1 Cross-section images of (a) pristine epoxy, (b) FEC and (c) SEC. (The thicknesses are *ca.* 30 μm .)




Fig. S2 The mechanism of adhesion between epoxy resin and CRS substrates.