Supplementary Data

One-Pot Synthesis of Novel Structure Fe₃O₄/Cu₂O/PANI Nanocomposites as Absorbents in Water Treatment

Juan Cao^{*a*}, Juchuan Li^{*b*,*}, Liu Liu^{*a*}, Anjian Xie^{*a*}, Shikuo Li^{*a*}, Lingguang Qiu^{*a*},

Yupeng Yuan^{*a*} and Yuhua Shen^{*a*},*

^a School of Chemistry and Chemical Engineering, Anhui University, Hefei 230061, P. R. China Fax: +86-0551-63861475; Tel: +86-0551-63861475; E-mail:

^b Department of Chemical and Materials Engineering, University of Kentucky, Lexington, KY 40506, USA

Fig. S1 UV-Vis absorption spectra of the MO/alcohol/water solution in the presence of dandelion-like NC3.

Fig. S2 UV-Vis absorption spectra of the RhB and MB alcohol/water solution in the presence of dandelion-like NC3.

Fig. S3 SEM image of FC.

Fig. S4 UV-Vis absorption spectra of the CR/alcohol/water solution in the presence of pompon-like FC.

Fig. S5 Adsorption–desorption isotherms and corresponding pore size distributions (inset) of pompon-like FC.

Fig. S6 Adsorption-desorption isotherms of NC1 and NC2.



Fig. S1 UV-Vis absorption spectra of the MO solution in the presence of dandelion-like NC3.



Fig. S2 UV-Vis absorption spectra of the RhB and MB solution in the presence of dandelion-like NC3.



Fig. S3 SEM image of FC



Fig. S4 UV-Vis absorption spectra of the CR/alcohol/water solution in the presence of pompon-like FC.



Fig. S5 Adsorption–desorption isotherms and corresponding pore size distributions (inset) of pompon-like FC.



Fig. S6 Adsorption–desorption isotherms of NC1 and NC2.