

Supporting Information for

Hydrophilization of Polysulfone Membranes Using a Binary Graft Copolymer

Yang Yang,^{1,2,3} Lei Miao,^{1,2,3} Jiwen Hu,^{*,1,2,3} Guojun Liu,^{*,1,2,4} Yuanyuan Tu,^{1,2} Shudong Lin,^{1,2}

Feng Liu,^{1,2} Fei Li,^{1,2,3} Yan Wu,^{1,2,3} Ganwei Zhang,^{1,2} and Hailiang Zou^{1,2}

¹*Guangzhou Institute of Chemistry, Chinese Academy of Sciences, Guangzhou, P. R. China,*

510650; ²Key Laboratory of Cellulose and Lignocellulosics Chemistry, Chinese Academy of

Sciences, P. R. China, 510650; ³ University of Chinese Academy of Science, Beijing, P.R. China,

100049; ⁴Department of Chemistry, Queen's University, 90 Bader Lane, Kingston, Ontario, K7L

3N6, Canada

* Corresponding author, email: hjw@gic.ac.cn, fax: 86-20-85232307





Figure S1. Proposed mechanism (a) and the photographs (b) of the thionine (THA) adsorption and desorption process onto and from the PSf membrane incorporating the amphiphilic graft copolymer.