Supporting Online Information

Design of nitrogen doped graphene grafted TiO₂hollow nanostructures with enhanced sodium store performances

Guohui Qin^{*,ab}, Xiaoyuan Zhang^{a,b}, Chengyang Wang^{*, a,b}

a School of chemical Engineering & technology, Tianjin University, Tianjin 300072, China. b Synergetic Innovation Center of Chemical Science and Engineering, Tianjin 300072, China.2

Directory of contents

Fig S1 N_2 adsorption and desorption isotherm and inset of Fig.S1.pore size distribution of G-TiO₂-N.

Fig S2 XPS spectrum of G-TiO₂-N at 700 °C in NH₃ atmosphere for 1 h:C1s narrow scan.

Fig S3 XPS spectrum of G-TiO₂-N at 700 °C in NH₃ atmosphere for 1 h: O1s narrow scan.

Fig S4XPS spectrum of G-TiO₂-N at 700 °C in NH3 atmosphere for 1 h:Ti_{2p} narrow scan.

Fig S5 HR-TEM images of the peach-like hollow G-TiO₂-N collected at 10h during the hydrothermal reaction.

Fig S6 HR-TEM images of the peach-like hollow G-TiO₂-N collected at 10h hours during the hydrothermal reaction.

FigS7 FESEM images of (a) G-TiO₂-N prepared in ethanol;(b) G-TiO₂without addition of urea;(c) TiO₂ (adding urea but no graphene); (d) HR-TEM image of TiO_2 adding urea only.



Fig S1 N₂ adsorption and desorption isotherm and inset of **Fig.S1**.pore size distribution of nitrogen-doped G-TiO₂-N.





Fig S2 XPS spectrum of G-TiO₂-N at 700 °C in NH₃ atmosphere for 1 h:C1s narrow scan.

Fig S3 XPS spectrum of G-TiO₂-N at 700 °C in NH₃ atmosphere for 1 h: O1s narrow scan.



Fig S4 XPS spectrum of G-TiO₂-N at 700 °C in NH3 atmosphere for 1 h:Ti_{2p} narrow scan.



Fig S5 HR-TEM images of the peach-like hollow G-TiO₂-N collected at 10h during the hydrothermal reaction.



Fig S6 HR-TEM images of the peach-like hollow G-TiO₂-N collected at 10h hours during the hydrothermal reaction.



Fig S7 FESEM images of (a) G-TiO₂-N prepared in ethanol;(b) G-TiO₂without addition of urea;(c) TiO₂ (adding urea but no graphene); (d) HR-TEM image of TiO_2 adding urea only